STORE COPY

SKIL®

Consumer Products Catalog

CP-510

PROMOTIONAL SPECIALS

Model 2007
SAVE $10*
$49.95

Model 576
SAVE $25*
$44.99

Model 548
SAVE $10*
$39.99

Model 487
SAVE $8*
$26.99

Model 569
SAVE $10*
$24.99

*Based on manufacturer's regular suggested retail prices.

These offers expire June 30, 1980.



No. 49855 Pre-Pack Promotional Merchandiser

- A barn full of bargains designed as an end-cap display featuring 1st half 1980 promotional tools.
- Sturdy, colorful, and easy-to-assemble.
- Pre-priced fact stickers on the display indicate where tools should be placed and give selling features and savings for each tool.
- Includes:
  4 Model 576
  7-1/4" Skilsaw Circular Saws
  4 Model 569
  3/8" Variable Speed Drills & Screwdrivers
  3 Model 487
  Two-speed Skilsaw Jig Saws
  2 Model 2007
  3/8" Cordless Drills & Screwdrivers
  2 Model 548
  1/2 HP Routers

One carton drop-shipped, freight prepaid.
No drop-ship penalty.

Retail Value $540.77

Do it with SKIL

Skil Corporation has manufactured portable power tools for over 50 years for consumer, industrial, construction, and tradesmen markets. Each tool is designed and manufactured with the same dedication to detail whether it is for the do-it-yourselfer or construction industry. Through the years Skil products have established a reputation for high quality and dependable performance. Product improvements are periodically introduced and are primarily concerned with user safety and tool durability. Every effort is made to provide you with tools for maximum performance that will satisfy your customers' needs to Do It With Skil.

CONSUMER PRODUCTS CATALOG



CONTENTS

	Pages
BELT SANDERS	20
Accessories	22
BLADES	
Circular Saw	18
Jig Saw	15
Recipro Saw	26
CHAIN SAWS*	
CIRCULAR SAWS	16-17
Accessories & Blades	17-18
DRILLS	4-5-6-7-8-9-10-11
Accessories	8-12-13
ENGRAVER	8
EXTENSION CORDS	17
FINISHING SANDERS	19
Accessories	19-22
GRINDERS	21
Disc Grinders	21
Accessories	22
HAMMER DRILLS	7-8
Accessories	8
IMPACT WRENCHES	21
Accessories	22
JIG SAWS AND ACCESSORIES	14-15
PLANE AND ACCESSORIES	25
POLISHERS AND ACCESSORIES	21
RECIPRO-SAWS	26
Blades and Accessories	27
ROUTERS	23
Bits and Accessories	24-25
SANDERS	
Belt Sanders	20
Disc Sanders	20
Finishing Sanders	19
Sander Accessories	22
SAWS	
Circular and Accessories	16-18
Jig and Accessories	14-15
Recipro and Accessories	26-27
SCREWDRIVERS	
Dry Wall	26
VACUUM CLEANERS	27
Accessories	27

*Although we no longer manufacture chain saws, chain saw parts, accessories, and repair service will be available at your local service center.

TOOL FINDER INDEX

MODEL	PAGE	MODEL	PAGE
96	25	542	11
208	8	548	23
271	26	552	17
293	23	553	17
295	23	554	17
295-1	23	559	17
297	23	560	10
297-1	23	569	10
400	20	574	16
405	20	576	16
425	11	577	26
439	19	584	10
456	9	593	20
457	10	594	20
459	19	595	20
471	21	596	9
471-2	21	597	10
472	26	598	11
474	26	599	7
474-1	26	600	7
482	14	661	19
487	14	821	21
490	19	845	21
497	14	846	20
499	14	914	21
501	9	2002	6
503	9	2003	6
510	11	2006	5
524	14	2007	5
534	16	2008	4
537	16	2012	4
538	16	2016	4
540	11	2290	8
541	11	2500	27
		2505	27

The TRADESMAN TOOL★★★★Symbol is Skil's designation for those power tools considered rugged enough to withstand the more demanding applications and longer continuous use required by service tradesmen. This symbol also indicates to the discerning hobbyist and do-it-yourselfer that these tools are the highest quality offered in Skil's Consumer Products line.

SKIL Introduces the new BOAR GUN™

Three 3/8" Cordless Drills & Screwdrivers Model 2008 2012 2016

2008
3/8" HEAVY DUTY

TRADESMAN TOOLS ★★★★

2012
3/8" HEAVY DUTY

2016
3/8" HEAVY DUTY

ALL THREE BOAR GUN MODELS SHARE THESE FEATURES:

- Double reduction gearing for added torque
- Safety trigger lock to prevent turning on drill accidentally and wasting power
- Rechargeable Power Pak plugs into drill handle as power source
- With the use of a second Power Pak available as an accessory, there's always a fully charged one ready to plug into the drill for continuous operation
- Charger has temperature controlled cut-off to prevent overcharge
- Power Pak recharges in one hour, from zero to full charge
- Can be recharged up to a thousand times
- Power Pak has built in chuck key holder

2008 1 HR Quick Charge
- Exclusive variable speed 0-250 RPM, forward and reverse. Designed for tough drilling and screwdriving applications

2012 1 HR Quick Charge
- Exclusive variable speed 0-750 RPM, forward and reverse. Designed for fast drilling and most driving applications

2016 1 HR Quick Charge
- Exclusive two variable speed ranges Lo 0-250 RPM and Hi 0-750 RPM, forward and reverse. Designed to shift gears to either speed range and deliver full power in both.

Hi and Lo Gear Selector conveniently located

Charger included with each drill, completely recharges Power Pak in one hour. UL listed.

Model No.	Duty Rating	Handle Type	Switch Type	Recharge Cycle	Drilling Capacity—Inches		No Load RPM	Overall Length Inches	Net Wt., Lbs.	Ship. Wt., Lbs.
					Mild Steel	Hardwood				
2008	Heavy	Pistol	VSR	1 Hour	3/8	3/4	0-250	10	3 1/5	4 1/2
2012	Heavy	Pistol	VSR	1 Hour	3/8	3/4	0-750	10	3 1/5	4 1/2
2016	Heavy	Pistol	2-Speed Range VSR	1 Hour	3/8	3/4	Hi 0-750 Lo 0-250	10	3 1/5	4 1/2

*Abbreviations used: VSR - Variable Speed Reversing

Accessories are shown on page 6.

SKIL® CORDLESS DRILLS

1ST/ HALF PROMOTIONAL SPECIAL

OFFER EXPIRES JUNE 30, 1980

$49.95*

* Mfr's suggested retail promotional price

Outstanding performance and portability, with features that outsell all other cordless drills. Features like double reduction gearing for high torque performance; a trigger with a safety lock, which helps prevent accidental starts; a built-in chuck storage key in the handle, so it's always easy to find when you want it. These features, plus the power to drive and remove screws without pre-drilling, make Skil cordless drills the leaders in their field.

TRADESMAN TOOL ★★★★

2007 3/8"

TWO SPEED—REVERSING HEAVY DUTY

- Operates at 100 RPM and 300 RPM, forward and reverse
- Recharges in only one hour, from zero to full charge
- Ready-light located in the rear housing indicates when tool is fully charged
- Can be recharged up to 1,000 times
- Battery thermostat automatically prevents overcharge
- Double reduction gearing for added torque
- High torque output and reversing feature, make it an efficient screwdriver
- Completely portable, goes anywhere you go
- Weighs only 2.3 lbs. and is designed for excellent balance
- Trigger lock helps prevent accidental starts
- Chuck key is stored in the handle to help prevent loss
- Charger, included with the drill, works on ordinary 120 Volt AC



2006 3/8"

CORDLESS—HEAVY DUTY SINGLE SPEED—REVERSING

- Has all the same features as Model 2007, except it is single speed, 300 rpm

TRADESMAN TOOL ★★★★

Accessories are shown on page 6.

Model No.	Duty Rating	Handle Type	Switch Type	Recharge Cycle	Drilling Capacity—Inches		No Load RPM	Overall Length Inches	Net Wt., Lbs.	Ship. Wt., Lbs.
					Mild Steel	Hardwood				
2006	Heavy	Pistol	On/Off, Rev.	1 Hour	3/8	3/4	300	8 7/8	2 1/3	5
2007	Heavy	Pistol	2-Speed Rev.	1 Hour	3/8	3/4	Hi-300 Lo-100	8 7/8	2 1/3	5

SKIL® CORDLESS DRILLS

2003 3/8"

STANDARD DUTY

- Operates at 100 RPM AND 300 RPM, forward and reverse
- Recharges in 3 hours from zero to full charge
- Can be recharged up to 1,000 times
- Trigger features safety lock to help prevent accidental starts
- Chuck key is stored in the handle to help prevent loss

2002 3/8"

STANDARD DUTY

- Has all the same features as Model 2003, except it has a 16 Hour recharge cycle.

CORDLESS DRILL ACCESSORIES

120 VOLT CHARGERS - UL Listed

No. 72062 For Models 2002, 948, & 949
16 Hour Charge

No. 72063 For Models 2006 & 2007
1 Hour Quick Charge

No. 72065 For Models 2008, 2012, & 2016
1 Hour Quick Charge

No. 72067 For Model 2003
3 Hour Fast Charge

12 VOLT DC CHARGERS - UL Listed

For use in 12 Volt DC - auto type system. Plugs into cigarette lighter receptacle.

No. 71871 For Models 2002, 948, & 949
16 Hour Trickle Charge

No. 71876 For Models 2006 & 2007
16 Hour Trickle Charge



HOLSTERS

No. 71865 For Models 2002, 2003, 2006, 2007, 948, & 949

No. 71864 For Models 2008, 2012, & 2016

POWER PAK

No. 72064 For Models 2008, 2012, & 2016

Model No.	Duty Rating	Handle Type	Switch Type	Recharge Cycle	Drilling Capacity—Inches		No Load RPM	Overall Length Inches	Net Wt., Lbs.	Ship. Wt., Lbs.
					Mild Steel	Hardwood				
2002	Standard	Pistol	2-Speed Rev.	16 Hours	3/8	3/4	Hi-300 Lo-100	8 7/8	2 1/5	3
2003	Standard	Pistol	2-Speed Rev.	3 Hours	3/8	3/4	Hi-300 Lo-100	8 7/8	2 1/5	3

SKIL® Xtra-tool®

VARIABLE SPEED DRILL/SCREWDRIVER
HAMMER DRILL/POWER CHISEL

THE FOUR MOST NEEDED TOOLS FOR USE AROUND THE HOME—ALL IN ONE!

All the amazing versatility of a reversible variable speed control drill, PLUS—a twist of the collar ring, and it's a hammer-drill for faster drilling in masonry, stone, brick, etc. Another twist of the collar ring, and it's a power-chisel, to mortise, chisel, gouge, scrape paint, wallpaper, tile.

599 3/8"

STANDARD DUTY

- Adjustable variable speed, 0-800 rpm
- Forward and reverse
- Burnout protected 1/3 hp motor - 3.2 amps
- 36,000 blows per minute in the hammering mode
- Accepts accessories with shanks up to 3/8"
- Equipped with removable side handle, chuck key and key holder

600 1/2"

STANDARD DUTY

- Adjustable variable speed, 0-800 rpm
- Forward and reverse
- Burnout protected 1/3 hp motor - 3.4 amps
- 36,000 blows per minute in the hammering mode
- Accepts accessories with shanks up to 1/2"
- Equipped with removable side handle, chuck key and key holder

Model No.	Duty Rating	Handle Type	Switch Type*	Drilling Capacity—Inches			No Load RPM	H P	Amp Rating At 120V	Overall Length Inches	Net Wt. Lbs.	Ship. Wt. Lbs.
				Steel	Hardwood	Masonry						
599	Standard	Pistol	VSRA-AC Only	3/8	3/4	3/8	0-800	1/3	3.2	10 1/4	4	4 2/5
600	Standard	Pistol	VSRA-AC Only	1/2	1	1/2	0-800	1/3	3.4	10 5/8	4 1/4	4 3/4

*VSRA - Variable Speed Reversing Adjustable

XTRA-TOOL® ACCESSORIES

WOOD CHISELS
Forged carbon steel chisels with ground cutting edge.
1/2" Carving Gouge **No.73487**
1/4" Wood Chisel **No.73488**
1/2" Wood Chisel **No.73489**
3/4" Wood Chisel **No.73490**



MORTAR GROUT CHISEL
Forged carbon steel chisel ... **No.73491**

SCRAPERS
Blades made from high carbon spring steel for long wear life.
1 1/4" (Rigid) Scraper ..... **No. 73492**
3" (Flexible) Scraper ..... **No. 73493**



ACCESSORY KIT
General purpose starter kit includes 1/2" carving gouge, 1 1/4" (Rigid) scraper and 1/4" masonry bit .. **No. 71080**



MASONRY BITS
For Xtra-Tool and Hammer-drill. High quality masonry bits designed to take the impact and rotation forces exerted by hammer-drills.

3/16" Hammer-drill bit **No.71881**
1/4" Hammer-drill bit **No.71882**
5/16" Hammer-drill bit **No.71883**
3/8" Hammer-drill bit **No.71884**



SKIL® HAMMER DRILL

TRADESMAN TOOL ★★★★

UL

208

3/8" HEAVY DUTY VARIABLE SPEED/REVERSING HAMMER DRILL

- Variable speed from 0-2600 rpm
- Forward or reverse
- Adjusting knob to pre-set speed
- Delivers 40,000 blows per minute
- Ball bearing construction
- 3.2 amp burnout protected motor
- Equipped with side handle and chuck key with holder

NEW!

Accessories are listed under masonry bits on page 7.

Model No.	Duty Rating	Handle Type	Switch Type*	Drilling Capacities		No Load RPM	H.P.	Amp Rating At 120V	Overall Length Inches	Net Wt., Lbs.	Ship. Wt., Lbs.
				Steel	Masonry						
208	Heavy	Pistol	VSRA-AC Only	3/8"	1/2"	0-2600	1/3	3.2	10 1/4	3 2/3	4 2/3

*VSRA - Variable Speed Reversing Adjustable

SKIL® ELECTRIC ENGRAVER

It has many uses in the home. Engrave valuables so they can be easily identified if stolen. Inscribe messages on jewelry and other gifts. Engrave patterns on metal, glass, wood, plastics, ceramics, and leather to create works of art.

NEW!



UL

2290

- Pencil type grip makes handling almost as easy as a felt tip pen
- 7200 strokes per minute
- Stroke adjustment dial to preset depth of stroke
- Carbide point is easy to change
- Handy hanger for convenient storage.

SKIL® 1/4" DRILLS

TRADESMAN TOOL ★★★★

596

HEAVY DUTY VARIABLE SPEED/REVERSING

Ball-bearing construction, heavy duty driver/drill. Finest 1/4" drill available in Skil Consumer Products line. Preferred by many tradesmen and home workshop enthusiasts for the power, durability and versatility it offers.

- Adjustable variable speed, 0-2,000 rpm, forward or reverse
- Adjusting knob to pre-set desired maximum speed for the job at hand
- 1/4 hp burnout protected 2.7 amp motor
- Lock-on button for continous operation
- Double insulated construction for extra operator protection
- Equipped with chuck key



456

STANDARD DUTY VARIABLE SPEED/REVERSING

Economical model, with the most popular features for homeowners. Adjustable variable speed from 0-2,100 rpm, forward or reverse. Adjusting knob lets operator pre-set top speed for specific applications. Lock-on button for continuous operation. Reversing speed control enables this drill to be used as a power screwdriver or wrench, as well as drill in various metals, from soft wood to extremely hard materials, such as glass and ceramics.

- Double insulated construction for extra operator protection
- 1/4 hp, 2.7 amp burnout protected motor
- Equipped with chuck key
- Adjustable variable speed, 0-2,100 rpm
- Forward/reversing

501

STANDARD DUTY VARIABLE SPEED

Has adjusting knob and lock-on button. Operates forward only.

- Adjustable variable speed 0-2,100 rpm
- Operates forward only
- 1/5 hp, 2.5 amp burnout protected motor
- Double insulated construction for extra operator protection
- Equipped with chuck key

503

STANDARD DUTY SINGLE SPEED

Many features of regular Skil drills in an economy version.

- 1/5 hp, 2.5 amp burnout protected motor
- Single speed, 2,100 rpm forward
- Double insulated construction for extra operator protection
- Equipped with chuck key

Accessories are shown on pages 12 and 13.

Model No.	Duty Rating	Handle Type	Switch Type*	Drilling Capacity Inches		No Load RPM	H P	Amp Rating At 120V	Overall Length Inches	Net Wt. Lbs.	Ship. Wt. Lbs.
				Steel	Hardwood						
596	Heavy	Pistol	VSRA-AC Only	1/4	1/2	0-2000	1/4	2.7	9	3 3/4	4
501	Standard	Pistol	VSA-AC Only	1/4	1/2	0-2100	1/5	2.5	9 5/16	3 1/4	3 2/5
503	Standard	Pistol	On/Off,-AC Only	1/4	1/2	2100	1/5	2.5	9 1/16	3 1/4	3 1/2
456	Standard	Pistol	VSRA-AC Only	1/4	1/2	0-2100	1/4	2.7	9 1/16	3 1/4	3 1/2

*Abbreviations used: VSR - Variable Speed Reversing VSRA - Variable Speed Reversing Adjustable

SKIL® 3/8" DRILLS

1ST HALF PROMOTIONAL SPECIAL

OFFER EXPIRES JUNE 30, 1980

$24.99*

*Mfr's suggested retail promotional price

457 (UL)

STANDARD DUTY VARIABLE SPEED/REVERSING

Standard duty driver-drill. Tremendous versatility for the homeowner or hobbyist. Variable speed, forward and reverse, with adjusting knob to pre-set desired maximum speed.

- Adjustable variable speed, 0-1,300 rpm
- Forward or reverse
- 1/4 hp, 3 amp burnout protected motor
- Double insulated construction for extra operator protection
- Lock-on button for continuous operation
- Equipped with chuck key and side handle

569 (UL)

STANDARD DUTY VARIABLE SPEED

Adjusting knob to pre-set desired maximum speed. Operates forward only.

- 1/5 hp, 2.8 amp burnout protected motor
- Adjustable variable speed from 0-1,300 rpm, forward only
- Double insulated construction for extra operator protection
- Lock-on button for continous operation
- Equipped with chuck key and side handle

560 (UL)

STANDARD DUTY SINGLE SPEED

Many of the features of the regular Skil line, in an economy version.

- 1/5 hp, 2.8 amp burnout protected motor
- Single speed, 1,300 rpm
- Operates forward only
- Double insulated construction for extra operator protection
- Equipped with chuck key and side handle

584 (UL)

STANDARD DUTY/VARIABLE SPEED/REVERSING

An economical variable speed drill with many deluxe features, including:

- 1/5 hp, 2.8 amp burnout protected motor
- Double insulated for added safety
- Variable speed from 0-1,300 rpm
- Forward or reverse
- Lock-on button, convenient and easy to use
- Equipped with chuck key

597 (UL)

HEAVY DUTY VARIABLE SPEED/REVERSING

Ball bearing construction. The top model 3/8" drill in the Skil consumer line. Preferred by many tradesmen as well as do-it yourselfers and hobbyists. Adjustable variable speed, for use as a power screwdriver or wrench, as well as versatility in drilling applications. Double reduction gearing for extra torque performance. Double insulated.

- Adjustable variable speed from 0-750 rpm
- 1/4 hp, 3.2 amp burnout protected motor
- Lock-on button for continous operation
- Ball bearing construction
- Equipped with chuck key and side handle
- Forward or reverse

Accessories are shown on pages 12 and 13.

Model No.	Duty Rating	Handle Type	Switch Type*	Drilling Capacity Inches		No-Load RPM	H.P.	Amp Rating At 120V	Overall Length Inches	Net Wt. Lbs.	Ship. Wt., Lbs.
				Steel	Hardwood						
457	Standard	Pistol	VSRA-AC Only	3/8	3/4	0-1300	1/4	3	9 5/16	3 1/4	3 3/4
569	Standard	Pistol	VSA-AC Only	3/8	3/4	0-1300	1/5	2.8	9 1/16	3 1/4	4 1/4
560	Standard	Pistol	ON/OFF-AC Only	3/8	3/4	1300	1/5	2.8	9 1/16	3 1/4	3 3/4
584	Standard	Pistol	VSR-AC Only	3/8	3/4	0-1300	1/5	2.8	9 1/16	3 1/4	3 1/2
597	Heavy	Pistol	VSRA-AC Only	3/8	3/4	0-750	1/4	3.2	9 1/2	3 3/4	4

*Abbreviations used. VSR - Variable Speed Reversing VSRA - Variable Speed Reversing Adjustable

SKIL® 1/2" DRILLS

598



HEAVY DUTY/VARIABLE SPEED/REVERSING

Ball bearing construction. Double reduction gearing for high torque performance. Adjustable variable speed, forward or reverse.

- Adjustable variable speed, 0-500 rpm, forward or reverse
- ¼ hp, 3.2 amp burnout protected motor
- Lock-on button for continuous operation
- Double insulated for extra operator protection
- Equipped with chuck key and side handle

TRADESMAN TOOL ★★★★

542

1/2" HEAVY DUTY VARIABLE SPEED/REVERSING

- Variable speed, 0-500 rpm, forward and reverse
- Designed to handle commercial and service trades applications
- All ball and needle bearing construction
- Double reduction gearing of heat treated alloy steel
- Removable, auxiliary side handle may also be mounted on top. Rear spade handle mounts in two positions
- 6 amp, 7/8 hp Burnout Protected motor

TRADESMAN TOOL ★★★★

510

STANDARD DUTY SINGLE SPEED REVERSING

New spade handle ½" drill. Single speed, forward or reverse. Rear spade handle and side handle for more positive grip. Double reduction gearing for torque to handle larger bits and hole saws.

- 500 rpm, forward or reverse
- ¼ hp, 3.2 amp burnout protected motor
- Double insulated construction for extra operator protection
- Lock-on button for continuous operation
- Equipped with chuck key and side handle

541

STANDARD DUTY SINGLE SPEED

Economical ½" drill. Can be locked on for continuous operation with sanding discs, polishing bonnets, hole saws, etc. Single forward speed.

- 750 rpm, forward only
- ¼ hp, 3 amp burnout protected motor
- Double insulated for extra operator protection
- Equipped with chuck key and side handle

425

HEAVY DUTY/VARIABLE SPEED/REVERSING

Two position rear handle and three position side handle.

- Variable speed, 0-650 rpm, forward or reverse
- Ball and needle bearing construction
- Double reduction gearing
- 4/5 hp, 5 amp burnout protected motor
- Equipped with chuck key, key holder
- Lock-on button for continuous operation

TRADESMAN TOOL ★★★★

540

1/2" HEAVY DUTY SINGLE SPEED/REVERSING

- Single speed, 500 rpm, forward or reverse
- Handles many commercial and trades applications
- Double reduction gearing of heat treated alloy steel
- Removable auxiliary side handle also mounts on top. Rear spade handle mounts in two positions
- 4 amp, 1/2 hp, Burnout Protected motor

TRADESMAN TOOL ★★★★

Accessories are shown on pages 12 and 13.

Model No.	Duty Rating	Handle Type	Switch Type*	Drilling Capacity Inches		No Load RPM	H P	Amp Rating At 120V	Overall Length Inches	Net Wt. Lbs.	Ship. Wt. Lbs.
				Steel	Hardwood						
598	Heavy	Pistol	VSRA-AC Only	1/2	1	0-500	1/4	3.2	9 1/2	4	4 1/4
542	Heavy	Spade & Center	VSR-AC Only	1/2	1	0-500	7/8	6	10 3/8	5 5/8	7 2/5
510	Standard	Spade & Pistol	On/Off, Rev.-AC Only	1/2	1	500	1/4	3.2	12 3/16	4 1/2	5
541	Standard	Pistol	On/Off-AC Only	1/2	1	750	1/4	3	9 13/16	3 1/2	4
425	Heavy	Spade & Center	VSR-AC Only	1/2	1 1/8	0-650	4/5	5	14 3/4	7	9
540	Heavy	Spade & Center	On/Off, Rev-AC Only	1/2	1	500	1/2	4	10 3/8	5 3/8	7 2/5

*Abbreviations used: Rev. - Reversing VSR - Variable Speed Reversing VSRA - Variable Speed Reversing Adjustable

DRILL ACCESSORIES

CARBIDE TIPPED MASONRY BITS

Carbide bits for drilling in cement, brick, cinder block and other masonry materials. Useable with all Skil drills, hammer drills and other makes.

No.	Dia.	Overall Length	Shank Dia.
29921	3/16"	4	3/16"
22128	1/4"	4	1/4"
22129	5/16"	4	1/4"
22130	3/8"	4	1/4"
22131	7/16"	6	1/4"
22132	1/2"	6	3/8"
29916	9/16"	6	7/16"
29917	5/8"	6	1/2"
29919	3/4"	6	1/2"

1/4" DRILL CHUCKS AND KEYS

No. 67973

¼ geared chuck with key and holder (fits all ¼" drills with ⅜"-24 threaded spindle).

No. 71860

Key & Holder for No. 67973 geared chuck.



No. 1752

Key & Holder for ¼" chucks with ⅛" key pilot hole.

No. 28667

"L" Key replacement for 2001, 2002 and 1701, 1702, 2006, 2007, 942, 2008, 2012, 2016

3/8" DRILL CHUCKS AND KEYS

No. 67974

⅜" geared chuck with key and holder (fits all ⅜" drills with ⅜-24 threaded spindle except models 2008, 2012, 2016).

No. 67900

⅜" geared chuck and key for models 2008, 2012, 2016.

No. 71860

Key & Holder for No. 67974 geared chuck.

1/2" DRILL CHUCKS AND KEYS

No. 71862

½" geared chuck and key (for Skil Model 542 Drill, other ½" drills with ½-20 threaded spindle).

No. 67975

½" geared chuck with key and holder (for Model 541 Drill, other drills with ⅜-24 threaded spindle).

No. 71861

Key & Holder for 67975 and 71862 geared chuck.

XTRA-HAND™ VISE & CLAMP

No. 2295

Jaw opening accommodates objects up to 2½" wide. V-groove jaws will hold round and odd shaped objects. Precision machined slide rods assure equally applied jaw pressure. Provides greater stability and control over your work for more accurate drilling, cutting, sanding, glueing, soldering, etc.

CHUCK KEY HOLDER

No. 23756

Holds ¼", ⅜", ½", chuck keys. Cord slips over chuck key. Helps prevent loss.

ROUTER DRILL

No. 68255

Saws, routs, drills, files. Fits any Skil Drill.

ADJUSTABLE DIAL SAW

No. 73400

Fits any drill. Cuts holes in wood, plastic and composition from 1⅛" to 2½". Cutting depth 1⅛". Hole size adjustments are easily made.

No. 26600 .... REPLACEMENT PILOT BIT
No. 73299 ..... REPLACEMENT BLADES

DRILL PUMP

No. 71091

Fits any electric drill. Uses ¾" hose connections. Drain stopped up sinks and tubs, drain car crankcase, etc.



HIGH-SPEED TWIST DRILL BITS

Provide fast, accurate cutting action, better shearing at the cutting edge, improved chip removal. All shanks are permanently stamped with hole size for easy identification.

TWIST DRILL BIT SETS (1/4" Shank)

No. 71084

4-piece set consisting of 5/16", 3/8", 1/2" bits and center punch.

No. 43677

5-piece set consisting of 1/16", 3/32", 1/8", 3/16" and 1/4" bits.

No. 43676

7-piece set in handy plastic storage case (1/16" to 1/4" bits by 32nd's).

No. 71090

10-piece set in handy plastic storage case consists of 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32" and 1/4" bits.

No. 43661

13-piece set in handy plastic storage case (1/16" to 1/4" bits by 64th's).

No. 71098

13-piece drill bit set in handy plastic storage case. Set consists of 1/16" to 5/32" by 64ths, 3/16", 7/32", 1/4" twist drills, plus 3/16", 1/4" masonry bits and center punch.

DRILL BITS—2 PER PAK

No.	Dia.	Shank Dia.	No.	Dia.	Shank Dia.
43662-2	1/16"	1/16"	43665-2	7/64"	7/64"
43663-2	5/64"	5/64"	43666-2	1/8"	1/8"
43664-2	3/32"	3/32"			

DRILL BITS—1 PER PAK

No.	Dia.	Shank Dia.	No.	Dia.	Shank Dia.
43667	9/64"	9/64"	43674	1/4"	1/4"
43668	5/32"	5/32"	69526	5/16"	5/16"
43669	11/64"	11/64"	69527	3/8"	3/8"
43670	3/16"	3/16"	69528	7/16"	7/16"
43672	7/32"	13/64" 7/32"	69529	1/2"	1/2"

REDUCED SHANK BITS—1 PER PAK

No.	Dia.	Shank Dia.	No.	Dia.	Shank Dia.
71016	5/16"	1/4"	71018	7/16"	1/4"
71017	3/8"	1/4"	71019	1/2"	1/4"

CENTER PUNCH ..... No. 71015

ADJUSTABLE SCREW DRILLS

Drill holes, countersink & counterbore in one operation.

No. 68251 ....3/32 bit size for No. 6 screws
No. 68252 ....7/64 bit size for No. 8 screws
No. 68253 ....1/8 bit size for No. 10 screws
No. 68254 ...9/64 bit size for No. 12 screws

COUNTERSINK BIT ..... No. 73272

Makes ½" dia. countersink in wood, metal, plastic.

WIRE WHEEL BRUSHES

Dozens of uses for removing paint, rust, polishing and buffing metals. Excellent for closequarters, ½" wide face. ½" arbor hole. Medium wire.

No. 43334 ..... 3" diameter
No. 9427 ..... 4" diameter
(Requires No. 9426 Arbor Adapter)

WIRE CUP BRUSHES

Fits any drill. Remove rust, scale, paint; clean stone, concrete, metal, etc. ¼" spindle.

No. 43333 .... 1½" diameter
No. 12769 .... 2¾" diameter

DRILL ACCESSORIES (CONTINUED)

GRINDING WHEEL

No. 9428

For sharpening tools and other grinding jobs. 3" dia. wheel with ½" arbor hole.

(Requires No. 9426 Arbor Adapter)



COTTON BUFFING WHEELS

For buffing and polishing metals, tools, golf clubs, etc.

No. 43678 ..... 3" diameter
No. 43679 ..... 4" diameter

(Requires No. 9426 Arbor Adapter)



ARBOR ADAPTER

No. 9426

For mounting wire wheel brush, buffing or grinding wheel on any drill. ¼" shank, ½" threaded spindle.

SANDING/POLISHING KIT

No. 3359

Converts your ¼" drill to a disc sander or power polisher for cars, furniture, etc. Sand flat or curved surfaces. Kit includes rubber disc pad, arbor with ¼" shank, 3 sanding discs, polishing bonnet.

DISC SANDING AND POLISHING ACCESSORIES

No. 3293
Five sanding discs, coarse, 1½ (40) grit

No. 3294
Five sanding discs, medium; 1/0 (80) grit

No. 3295
Five sanding discs, fine, 3/0 (120) grit

No. 3363
5" lambswool bonnet.

No. 10491
5" rubber disc pad with ¼" shank arbor.

GENERAL ACCESSORY DRILL KIT

No. 71097

For variable speed drills. Polish metalware, remove rust, sharpen tools, drive screws, and drill in steel and other tough materials. Kit includes grinding wheel, wire brush, cotton buffing wheel, 2 Phillips bits, 3 slotted bits, 5 drill bits, and one arbor adapter.

1/4" HEX SCREWDRIVER BITS

Fits directly into geared chuck of all Skil Variable Speed Drills and Cordless Drills. Can be used with Screwdriver Attachment, No. 43942 and Reversible Speed Reducer, No. 43943.

No. 43707 ..... #1 Phillips Bit
No. 43708 ..... #2 Phillips Bit
No. 43709 ..... #3 Phillips Bit
No. 43710 ..... Slotted Bit for #6-8 screws
No. 43711 ..... Slotted Bit for #8-10 screws
No. 43712 .... Slotted Bit for #10-12 screws

DRILL & SCREWDRIVER ACCESSORY KIT

No. 43706
Consists of adjustable screwdrill, one Phillips and one slotted bit.

SCREWDRIVER BITS—DOUBLE ENDED

No. 71872 .. #1 Phillips & #6 slotted screws
No. 71873 .. #2 Phillips & #8 slotted screws
No. 71874 . #3 Phillips & #10 slotted screws
No. 71875 ..... One each 71872 & 71873

CONVERT ANY DRILL TO A POWER DRIVER

To run nuts, bolts, slotted or Phillips head screws.

SCREWDRIVER SET ..... **No. 43942**

Includes screwdriver attachment, one each slotted and Phillips head bit.

REVERSIBLE SPEED REDUCER

No. 43943

Provides 11 to 1 gear reduction to convert any standard drill without Variable Speed to high-torque driver. For driving and removing screws, bolts and nuts. Includes one each speed reducer, socket adapter, slotted and Phillips bit.

LUBRICANT FOR ALL SKIL DRILLS

No. 252 ..... 5-3/8 oz. tube

SOCKET SET WITH ADAPTER ..... No. 43685

For use with all Skil Adjustable Trigger Speed Control and Cordless Drills. Fit directly into chuck for running bolts and nuts up to ⅜". Also fits Nos. 43941, 43942 screwdriver attachments and No. 43943 Reversible Speed Reducer. Set contains socket adapter and 6 sockets (sizes: 3/16", 1/4", 9/32", 5/16", 11/32", 3/8").

No. 43713 ..... Socket Adapter

VERTICAL DRILL STAND

No. 45136

May be used with Skil pistol grip drills. This stand is especially useful with Variable Speed Drills except Model 425, 510 and 542. Converts drill to drill press for workbench drilling.

VERTICAL DRILL STAND

No. 45005

New high quality drill stand can be used with all Skil drills. Converts drill to drill press for workbench drilling.



HORIZONTAL DRILL STAND

No. 45192

May be used with Skil pistol grip drills. Holds drill securely for use with accessories such as grinding wheel, wire wheel brushes, cotton buffing wheel.

PAINT MIXER

No. 13760

Twin propellers for even, smooth mixture. Stirs up to gallon of paint. Fits any drill.



UTILITY CARRYING CASE

No. 27999

Plastic carrying case for storage of tool and accessories. Fits all drill models in this catalog, except models 542, 510, and 425. Interior size: 12 x 8 x 3".

SKILSAW® JIG SAWS

1ST/ HALF PROMOTIONAL SPECIAL
OFFER EXPIRES JUNE 30, 1980
$26.99*
* Mfr.'s suggested retail promotional price

487

STANDARD DUTY TWO SPEED JIG SAW

High speed for fast cutting in soft woods, slow speed for hard woods, metal, compositions. Three-position foot adjustment for splinter-free cutting; no adapters required. Tilting foot for bevel cuts. Built-in blower clears line of cut.

- 1/4 hp burnout protected motor
- Low speed, 2,800 strokes per minute; high speed, 3,500 spm
- Tilting foot - 45 degrees left or right
- Cuts 1⅝" soft wood; 1" hard wood; ¼"aluminum; ⅛" mild steel
- Double insulated construction for extra operator protection
- Supplied with one blade



SUPER SAVERS
OFFER EXPIRES JUNE 30, 1980
$54.95*
* Mfr.'s suggested retail promotional price



482

STANDARD DUTY JIG SAW

Many features of the more deluxe jig saws are in this economy version.

- 1/5 hp, 2.5 amp burnout protected motor
- Single speed, 3,500 strokes per minute
- Double insulated
- Cuts 1⅝" soft wood; 1" hardwood; ¼" aluminum; ⅛" mild steel
- Equipped with one blade



497

STANDARD DUTY ADJUSTABLE VARIABLE SPEED JIG SAW

- Complete speed control from 0-3,500 cutting strokes per minute
- Maximum cutting speed can be pre-set with adjusting knob
- 1/3 hp, 3.2 amp burnout protected motor
- Auxiliary front handle
- 45° tilting foot, right or left; three-position foot adjustment for splinter-free cutting
- Double insulated construction and built-in blower to clear line of cut
- Cuts 1-5/8" soft wood; 1" hard wood; 1/4" aluminum; 1/8" mild steel
- Equipped with one blade

499

TRADESMAN TOOL ★★★★

HEAVY DUTY ADJUSTABLE VARIABLE SPEED JIG SAW

Ball and needle bearing construction. Variable cutting speed can be pre-set from 0-3,500 cutting strokes per minute with adjusting knob. Can be locked on for continuous cutting.

- 1/3 hp, 3.2 amp burnout protected motor
- Double insulated
- Foot tilts 45° right or left
- Three-position foot adjustment for splinter-free cutting
- Auxiliary front handle
- Cuts 1⅝" soft wood; 1" hardwood; ¼" aluminum; ⅛" mild steel
- Equipped with one blade

Model No.	Duty Rating	Length of Stroke—Inches	Capacities—Inches				Switch Type*	Strokes Per Minute		H P	Overall Length Inches	Net Wt., Lbs.	Ship. Wt. Lbs.	Amp Rating At 120V
			In Softwood	In Hardwood	In Aluminum	In Mild Steel		Low Speed	High Speed					
487	Standard	5/8	1 5/8	1	1/4	1/8	2 SpeedAC Only	2800	3500	1/4	7	3 1/2	4	2.5
482	Standard	5/8	1 5/8	1	1/4	1/8	On/Off-AC Only	—	3500	1/5	7	3 1/3	3 3/4	2.5
497	Standard	5/8	1 5/8	1	1/4	1/8	VSA-AC Only	0 to 3500		1/3	7 1/2	4 1/4	4 1/2	3.2
499	Heavy	5/8	1 5/8	1	1/4	1/8	VSA-AC Only	0 to 3500		1/3	7 1/2	4 1/4	4 1/2	3.2

* Abbreviations used: VS - Variable Speed VSA - Variable Speed Adjustable

524

HEAVY DUTY
ORBITAL ACTION JIG SAW

Orbital action moves the blade into the work on the cutting stroke, pulls back on the down stroke, for longer blade life, smoother and faster cutting.

- Low speed, 3,000 strokes per minute; high speed 4,000 spm
- ¼ hp, 2.5 amp burnout protected motor
- Tilting foot for bevel cuts up to 45° right or left
- Cuts 1-5/8" soft wood; 1" hardwood; 1/4" aluminum; 1/8" mild steel
- Splinter free cutting attachment included with tool
- Equipped with one blade and hex key

TRADESMAN TOOL ★★★★

Model No.	Duty Rating	Length of Stroke—Inches	Capacities—Inches: In Softwood	In Hardwood	In Aluminum	In Mild Steel	Switch Type*	Strokes Per Minute: Low Speed	High Speed	H P	Overall Length Inches	Net Wt., Lbs.	Ship. Wt. Lbs.	Amp Rating At 120V
524	Heavy	17/32	1 5/8	1	1/4	1/8	2 Speed-AC Only	3000 to 4000		1/4	8 1/2	5 1/4	5 3/4	2.5

SKILSAW® BLADES / ACCESSORIES

JIG SAW
BLADE ASSORTMENTS

DELUXE ASSORTMENT
Includes one each Nos. 71933, 71921 and 71928 ..... **No. 71937**

BASIC ASSORTMENT
Includes one each Nos. 71920, 71923 and 71925 ..... **No. 71938**

ALL-PURPOSE 6 BLADE ASSORTMENT
Includes one each Nos. 71923, 71925, 71933, 71920, 71921 and 71931 **No. 71939**



UNIVERSAL MITER GUIDE
Used with any power saw. For fast, accurate cuts. Calibrated from 30° to 90°. Ideal for cut-off work.... **No. 13802**

JIG SAW/ROUTER/ SHAPER TABLE
Can be mounted on work bench for use with all Skil jig saws in this catalog and most other popular brands. Includes miter guide for accurate cuts. Can also be used as router table.
No. 71026

RIP FENCE AND CIRCLE CUTTING GUIDE
Attaches to all current and previous Skil Jig Saw models. Use to make accurate rip and circle cuts ..... **No. 25281**



UTILITY CARRYING CASE
Plastic carrying case for storage of tool and accessories. For all Jig Saws and Model 577 Recipro Saw. Interior size: 12 x 8 x 3" ..... **No. 27999**

JIG SAW BLADES Skil blades are designed to fit most popular jig and sabre saws using ¼" shank blades.

METAL CUTTING STEEL, ALUMINUM & BRASS	NO.	LENGTH	TYPE OF CUT	TEETH PER INCH	APPLICATION
	71920	2 3/4"	Medium	12	Metal cutting over 1/8"
	71921	2 3/4"	Smooth	21	Metal cutting up to 1/8"
	71922	2 3/4"	Fine	36	Metal cutting, ferrous metal up to 1/8" and non ferrous up to 1/16"
*WOOD CUTTING (UP TO 2") 	71923	3 1/8"	Rough	6	Fast cuts in wood up to 2"
	71924	3 1/8"	Medium	6	Fast cuts in wood up to 2"
	71925	3 1/8"	Medium	8	Fast cuts in wood up to 2" (curves)
	71926	3 1/8"	Medium	8	Fast cuts in thin wood plaster, synthetics, plastic laminates (curves)
WOOD CUTTING (SMOOTH FINISH) 	71927	3 1/8"	Smooth	10	Wood up to 2"
	71928	3 1/8"	Medium	6	Wood over 1"
	71929	3 1/8"	Very Smooth	10	Wood and composition up to 2"
	71930	3 1/8"	Smooth	12	Wood 1/2" to 1"
	71931	3 1/8"	Smooth	8	Fast cuts in wood up to 1"
	71932	3 1/8"	Fine	12	Paneling laminated materials and wood up to 1" reverse tooth for burr and chip free top surfaces
	71933	3 1/8"	Smooth	12	Intricate scroll cuts in wood and plastic up to 1 3/4"
	71934	3 1/8"	Rough	8	Skip tooth for fast cuts in abrasives, plaster board, plastics, synthetics, etc.
	71936	3 1/8"	Rough	8	Fast flush cuts in hard and soft woods. Not for use on model 524.

All blades are packaged 2 blades per card except for #71936—1 per card

SKILSAW® CIRCULAR SAWS

FEATURES COMMON TO ALL SAWS ON THIS PAGE:

- Upper and lower guards made of die cast aluminum for strength and durability. Unlike plastic guards, these can be used with metal and masonry cutting blades
- Safety switch helps prevent accidental starts
- Double insulated for added protection
- Easy to use, accurate depth and bevel controls
- Heavy gauge foot brackets for accurate cuts at all settings
- Sawdust-ejection system directs dust away from operator and work area
- Vari-Torque clutch helps prevent motor overload and kickback should blade bind in cut
- Wrap around foot of heavy gauge steel is ribbed for extra strength and rigidity

NEW!

Ⓤ

1ST/ HALF PROMOTIONAL SPECIAL

OFFER EXPIRES JUNE 30, 1980

$44.99*

*Mfr's suggested retail promotional price

574

Ⓤ

7 1/4" STANDARD DUTY SAW—1 3/4 HP

Most popular model in the Skilsaw line of saws for home shop use. Rugged, dependable and accurate, makes any cutting job go faster.

- Lower guard safety-stop helps minimize blade exposure when guard is raised manually.
- 10 amp burnout protected motor, can withstand overloads without motor damage
- No load speed 4600 rpm
- Cuts 2 3/8" at 90° and 1 7/8" at 45°
- Weight—9 1/8 lbs.
- Equipped with combination blade and blade wrench

576

7 1/4" STANDARD DUTY SAW—2 HP

Economically priced saw with ball bearing construction for dependable performance and smooth operation.

- Lower guard safety-stop helps minimize blade exposure when guard is raised manually
- 10 amp burnout protected motor, can withstand overloads without motor damage
- No load speed 4600 rpm
- Cuts 2 3/8" at 90° and 1 7/8" at 45°
- Weight - 9 1/8 lbs.
- Equipped with combination blade and blade wrench

Ⓤ

537

7 1/4" STANDARD DUTY DELUXE SAW— 1 7/8 HP

A top quality saw, with many performance and safety features, which appeal to hobbyists and craftsmen alike.

- Lower guard safety-stop helps minimize blade exposure when guard is raised manually.
- Remote lower guard lift-lever allows operator to raise the lower guard without putting hand near blade
- 10 amp burnout protected motor, can withstand overloads without motor damage
- No load speed 5100 rpm
- Weight—9 1/8 lbs.
- Equipped with combination blade and blade wrench

Ⓤ

538

7 1/4" STANDARD DUTY—1 5/8 HP

Economically priced saw with many of the features of the more deluxe models.

- Lower guard safety-stop helps minimize blade exposure when guard is raised manually.
- 9 amp burnout protected motor can withstand overloads without motor damage
- No load speed 4500 rpm
- Cuts 2 3/8" at 90° and 1 7/8" at 45°
- Weight- 9 1/8 lbs.
- Equipped with combination blade and blade wrench

Ⓤ

534

6 1/2" STANDARD DUTY SAW—1 1/2 HP

Lightweight, compact saw, ideal for most home projects.

- 9 amp burnout protected motor, can withstand overloads without motor damage
- No load speed 5000 rpm
- Cuts 2 3/16" at 90° and 1 3/4" at 45°
- Weight—9 lbs.
- Equipped with combination blade and blade wrench

Model No.	Duty Rating	Blade Dia. Inches	Max. Depth of cut at 90° Inches	Max. Depth of cut at 45° Inches	Switch Type	No Load Speed RPM	Horse Power	AMP Rating At 120V	Overall Length Inches	Net Wt., Lbs.	Ship. Wt., Lbs.
576	Standard	7 1/4	2 3/8	1 7/8	AC Only	4600	2	10	10 9/16	9 1/8	11
574	Standard	7 1/4	2 3/8	1 7/8	AC Only	4600	1 3/4	10	10 9/16	9 1/8	11
537	Standard	7 1/4	2 3/8	1 7/8	AC Only	5100	1 7/8	10	10 9/16	9 1/8	11
538	Standard	7 1/4	2 3/8	1 7/8	AC Only	4500	1 5/8	9	10 9/16	9 1/8	11
534	Standard	6 1/2	2 3/16	1 3/4	AC Only	5000	1 1/2	9	10 9/16	9	10 3/4

SKILSAW® CIRCULAR SAWS HEAVY DUTY

553 (UL)

7 1/4" HEAVY DUTY SAW — 2 1/3 HP

TRADESMAN TOOL ★★★★

552 (UL)

6 1/2" HEAVY DUTY SAW—2 1/4 HP

TRADESMAN TOOL ★★★★

554 (UL)

8 1/4" HEAVY DUTY SAW—2 1/2 HP

TRADESMAN TOOL ★★★★



Models 552, 553 and 554 have these important features:

- Heavy-duty, precision-type ball and needle bearings
- Hardened helical gears deliver full torque to blade
- "Vari-Torque" clutch protects motor and gears, should blade bind
- Telescoping lower guard retracts automatically with start of each cut
- Push-button blade lock prevents shaft from turning; makes changing blade easy
- Burnout Protected Motor delivers smooth, dependable, full power under the toughest use
- Built in blower ejects chips and sawdust away from operator and keeps line of cut clear
- Brush holders located for fast, easy inspection
- Heavy-gauge steel wrap-around foot and brackets form strong, rigid support from any angle
- Equipped with combination blade, blade wrench and 8 ft.-3 wire cord

(UL)

559

TRADESMAN TOOL ★★★★

7 1/4" HEAVY DUTY SAW—2 1/4 HP

Ball-bearing construction and a rugged powerful motor to accommodate the professional tradesman or amateur who needs a professional caliber saw. Helical gears to help insure smooth, dependable operation.

- Safety switch to help prevent accidental starts
- Lower guard safety-stop helps minimize blade exposure when guard is raised manually.
- Safety guard lift for added safety and convenience in operation
- 10 amp burnout protected motor
- Double insulated construction for extra operator protection
- 5500 rpm no load speed
- Cuts 2 3/8" at 90° and 1 7/8" at 45°
- Weight—9 1/8 lbs.
- Equipped with combination blade and wrench

Model No.	Duty Rating	Blade Dia. Inches	Max. Depth of cut at 90 Inches	Max. Depth of cut at 45 Inches	Switch Type	No Load Speed RPM	Horse Power	AMP Rating At 120V	Overall Length Inches	Net Wt., Lbs.	Ship. Wt., Lbs.
552	Heavy	6 1/2	2 1/8	1 3/4	AC - DC	5800	2 1/4	10	10 3/4	10 1/2	13 1/2
553	Heavy	7 1/4	2 3/8	1 7/8	AC - DC	5200	2 1/3	12	12	12	15 1/8
554	Heavy	8 1/4	2 27/32	2 1/8	AC - DC	5200	2 1/2	13	12	13	15
559	Heavy	7 1/4	2 3/8	1 7/8	AC-Only	5500	2 1/4	10	10 9/16	9 1/8	11 1/2

CIRCULAR SAW ACCESSORIES



PLASTIC CARRYING CASE
Has molded interior for Skilsaw Models 533, 534, 536, 537, 538, 559, 574, 936, 937, 1715. Room for blades and other accessories ..... **No. 42520**

METAL CARRYING CASE
Heavy gauge steel with special brackets for saw. Room for blades and other accessories. For all 5½" thru 8¼" saws..... **No. 71958**



RIP FENCE
Quickly attach to saw foot. Adjustable, eliminates need for repeated measuring.

NO.	FOR SAW MODEL	TYPE	ADJUST
25341	537 552 553, 554	1-3 6 & up 3 & up	0"-5"
17984	416, 417, 533, 534, 536, 537-T4 & up, 538, 559, 574, 936, 937, 1715	ALL	0"-5"
13896	553, 554 552	1 & 2 1-5	0"-5"



BLADE WRENCH—For changing blades. For all models ..... **No. 266**

EXTENSION CORDS (3 Wire)
50 ft. 16 ga. up to 8 amp rating ..... **No. 16216**
100 ft. 16 ga. up to 4 amp. rating ... **No. 22401**
(2 Wire)
100 ft. 14 ga. up to 6 amp rating .... **No. 73375**

LUBRICANT
5½ oz. tube. Compounded specially for Skil tools. Use for gear case of all saws, drills, listed in this catalog ..... **No. 252**

SKILSAW® BLADES FOR PORTABLE AND BENCH SAWS

ARBOR STYLE (CENTER OPENINGS)

Round Hole Blades | Multi-Round Hole Blades | Diamond Hole Blades | "Knock-Out" Diamond and Round Hole Blades

Skilsaw Model	Arbor
533	½" Rd.
416, 417, 534, 536, 537, 538, 552T-9 & up, 553, 554T-6 & up, 559, 574, 936, 937, and 1715	⅝" Rd.

DIAMOND-ROUND BLADE ADAPTORS

Snap-in adaptors for diamond or round arbors

NO.	FOR CONVERTING
24480	Diamond to ½" Round
24479	Diamond to ⅝" Round
24478	Diamond to ¾" Round
67471	⅝" Round to ½" Round
67472	¾" Round to ⅝" Round

Fiber adaptors for cut-off wheels

17009	Diamond to ½" Round
17010	Diamond to ⅝" Round

Fiber adaptor for Perma Grit blades

17011	Diamond to ⅝" Round

NEW HARD TOOTH STAY SHARP BLADES

Extra hard teeth stay sharp 3 to 4 times longer. Resharpened only by grinding.

CHISEL TOOTH COMBINATION

For cross-cut and rip work. Good for tempered laminates, exterior plywood and other materials that tend to dull blades rapidly. Produces fast but rough cuts.

No.	Dia.—In.	Arbor Size—In.	No. Teeth
71997	6½	♦, ⅝ Rd.	20
71998	7¼	♦, ⅝ Rd.	24
71999	8¼	♦, ⅝ Rd.	28

SKIL TOOTH COMBINATION

All purpose-rips, cross cuts and miters.

No.	Dia.—In.	Arbor Size—In.	No. Teeth
72000	6½	♦, ⅝ Rd.	36
72001	7¼	♦, ⅝ Rd.	40

PLYWOOD (flat ground)

For cutting plywood, veneer and fiberboard without tearing or splintering.

No.	Dia.—In.	Arbor Size—In.	No. Teeth
72003	6½	♦, ⅝ Rd.	150
72004	7¼	♦, ⅝ Rd.	160

MITER OR "PLANER" (hollow ground)

For smoothest cut cross grain or rip. Hollow ground for accurate rather than fast cutting. May be used for cutting soft aluminum or copper with lubricant.

18554	6½	♦, ⅝ Rd.	50
19260	7¼	♦, ⅝ Rd.	60
12257	8¼	♦, ⅝ Rd.	60
12642	9	⅝ Rd.	70
12643	10	⅝, ¾ Rd.	80

CARBIDE-TIPPED BLADES

New high quality carbide-tipped blades are economically priced. Permanently brazed carbide tips provide up to 30 times longer cutting life than non-carbide tipped blades.

No.	Dia.-In.	Arbor Size-In.	No. of Teeth
Framing			
73755	♦, ⅝ Rd.	6 ½	12
73756	♦, ⅝ Rd.	7 ¼	12
73757	♦, ⅝ Rd.	8	12
Combination			
72650	♦, ⅝ Rd.	6 ½	16
72725	♦, ⅝ Rd.	7 ¼	18
72826	♦, ⅝ Rd.	8 ¼	24
Heavy Duty			
73655	♦, ⅝ Rd.	6 ½	24
73656	♦, ⅝ Rd.	7 ¼	24
73657	♦, ⅝ Rd.	8 ¼	24
Smooth Cutting			
73650	♦, ⅝ Rd.	6 ½	40
73725	♦, ⅝ Rd.	7 ¼	40
73825	♦, ⅝ Rd.	8 ¼	40
73900	♦, ⅝ Rd.	9	40
73101	♦, ⅝ Rd.	10	40
73102	⅝, ¾ Rd.	10	40

CROSS-CUT/FLOORING



For smoother cross-grain cuts. Also for use as rip and cut-off blade on extremely hard woods.

18552	6½	♦, ⅝ Rd.	70
19258	7¼	♦, ⅝ Rd.	76
12256	8¼	♦, ⅝ Rd.	80

COMBINATION



For cross-cut and rip work. Most frequently used SKIL Saw Blade for general carpentry.

No.	Dia.—In.	Arbor Size—In.	No. Teeth
17012	4¼	½ Rd.	20
20677	5½	½ Rd.	36
376	5⅞	♦, ⅝ Rd.	36
**16122	6½	♦	36
*28150	6½	♦, ⅝ Rd.	36
**377	7¼	♦	40
**13246	7¼	⅝ Rd.	40
*13247	7¼	♦, ⅝ Rd.	40
*13855	8¼	♦, ⅝ Rd.	40
12612	9	⅝ Rd.	44
380	10	♦, ⅝ Rd.	44
42895	10¼	⅝, ¾ Rd.	44
12614	12	♦, ¾ Rd.	44

*Available in bulk—See your Distributor
**Available in bulk only

RIP



For fastest cutting with grain. Tooth shape similar to combination blade, but with larger teeth for better chip clearance and less binding.

18553	6½	♦, ⅝ Rd.	30
19259	7¼	♦, ⅝ Rd.	32
19261	8¼	♦, ⅝ Rd.	32

FINE-TOOTH

For fine cut-off work; paneling, cutting soft wallboard or similar material; 1/16" or thinner plastic materials.

12670	6	⅝ Rd.	150
28162	6½	♦, ⅝ Rd.	150
28163	7¼	♦, ⅝ Rd.	160
12671	8	♦, ⅝ Rd.	176

PANELING (hollow ground)

For smooth, splinter-free cutting of plywood and other laminates. Hollow ground, extra fine teeth leave a smooth cut that often needs no further finishing.

No.	Dia.—In.	Arbor Size—In.	No. Teeth
26170	5½	½ Rd.	110
28156	6½	♦, ⅝ Rd.	150
28157	7¼	♦, ⅝ Rd.	160
28158	8	♦, ⅝ Rd.	176

CUT OFF WHEELS

All wheels are fiber-glass reinforced for longer life; shatter-resistant for greater safety.

DIAMOND ARBOR WITH 5/8" RD. ADAPTOR

No.	Dia. In.	No.	Dia. In.
Masonry cutting—Silicon Carbide abrasive.			
16329	5⅞	16330	7¼
73300	6½	16331	8
73302	7		
Metal cutting—Aluminum Oxide abrasive.			
16326	5⅞	16328	8
73301	6½	29343*	10
73303	7		

*¾" Round Arbor

***NOTE:** Before using any cut-off wheel, always be sure its maximum safe operating speed (shown on wheel blotter) is not exceeded by the free speed of the tool (shown on nameplate). Use only on tools with proper safety guards. **O.S.H.A. washers to be used with cut-off wheels.**

No. 73480—Set for Model 552

No. 73481—Set for Model 553, 554

No. 73486—Set for Model 534, 537, 538, 559, 574, 576, 1715

METAL CUTTING BLADES (hollow ground)
COARSE TOOTH (nonferrous metals)

For ⅜" and thicker aluminum, magnesium or lead. Coarse mill type tooth. MUST BE USED WITH LUBRICANT.

No.	Dia.—In.	Arbor Size—In.	No. Teeth
18548	6½	♦, ⅝ Rd.	30
9813	7¼	♦, ⅝ Rd.	32
17007	8¼	♦, ⅝ Rd.	32

FINE TOOTH (nonferrous metals)

For copper, brass, ⅜" or thinner aluminum and magnesium, 1/16" and thicker plastics. Fine mill type tooth. MUST BE USED WITH LUBRICANT.

18549	6½	♦, ⅝ Rd.	90
9814	7¼	♦, ⅝ Rd.	100
17008	8¼	♦, ⅝ Rd.	100

PERMA-GRIT BLADES

5 tools in 1! Saw, sand, shape, dado, plough! No teeth to snag or kickback. Tungsten carbide grit is copper bonded to edge and sides . . . cut and sand in one operation. Provide fast, smooth cuts with long blade life when cutting thin veneers, plywood, hardboard, fiberglass and plastics.

Cannot be used for metal or stone cutting.

Abrasive grit is on edge and ½" down from edge on both sides.

No.	Blade Size	Arbor Size, Inches	Grit on edge and sides
19908	6"	♦, ⅝ Rd.	36
19909	7¼"	♦, ⅝ Rd.	36
19910	8"	♦, ⅝ Rd.	36

SKIL® SANDERS

SUPER SAVERS $44.95* OFFER EXPIRES JUNE 30, 1980

661

HEAVY DUTY ORBITAL SANDER

Two-hand styling, combined with ball bearing construction, make this sander ideal for either amateur woodworker, or professional.

- AC-DC switch
- 1/8" orbit
- 10,000 orbits per minute
- 2 amp, burnout protected motor
- Double insulated for added safety
- Sands flush on three sides
- Uses 3 5/8" x 9" sandpaper
- Equipped with one 3 5/8" x 9" sandpaper

UTILITY CARRYING CASE

Plastic carrying case that holds Models 439, 459, 490, 661 and 966. Interior size: 12" x 8" x 3" ..... **No. 27999**

439

STANDARD DUTY HIGH SPEED ORBITAL SANDER

Easy to use and easy to control with one or two hand operation. Ideal for fine finish sanding.

- Operates at 8,400 orbits per minute—1/16" orbit
- Compact and lightweight, only 2 1/2 lbs.
- Double insulated for added safety
- Simple clamping system needs no special tools
- Sands flush on three sides
- 1.2 amp burnout protected motor
- Equipped with one 4 1/2" x 5 1/2" sandpaper

490

STANDARD DUTY STRAIGHT LINE/ORBITAL SANDER

Dual action sander for either fast stock removal, or fine, swirl-free finish sanding. Selector lever changes action from straight line to orbital action.

- 2.5 amp burnout protected motor
- Double insulated construction for extra operator protection
- Sands flush on three sides
- Equipped with one 3 5/8" x 9" sandpaper

459

STANDARD DUTY ORBITAL SANDER

For fast stock, removal, and a smooth, hand-sanded appearance. Two-hand styling makes the unit easy to handle and control, even when flush sanding.

- 10,000 orbits per minute
- 1/16" orbit
- 2 amp, burnout protected motor
- Double insulated construction for extra operator protection
- Sands flush on three sides
- Uses 3 5/8" x 9" sand paper
- Equipped with one 3 5/8" x 9" sandpaper

71039 DUST COLLECTOR ATTACHMENT

Fits both 459 and 661 sanders. Plugs into most tank-type vacuum cleaner hoses to help keep work area free from sanding dust.

Accessories are shown on page 22.

Model No.	Duty Rating	Sandpaper Size Inches	Sanding Pad Size Inches	Switch Type	Amp Rating At 120V	Orbital Sanding		Straight Line Sanding		Overall Length Inches	Net Wt., Lbs.	Ship. Wt., Lbs.
						Orbits Per Min. No Load Speed	Dia. Of Orbit Inches	Strokes Per Min. No Load Speed	Length Of Stroke Inches			
661	Heavy	3 5/8 x 9	3 5/8 x 7 5/16	AC-DC	2	10,000	1/8	—	—	10 5/16	4 1/4	5
439	Standard	4 1/2 x 5 1/2	4 1/16 x 4 1/2	AC-Only	1.2	8,400	1/16	—	—	8 5/8	2 1/2	3 1/4
490	Standard	3 5/8 x 9	3 5/8 x 7 3/8	AC-Only	2.5	4000	3/16	4000	3/16	9 3/4	5 1/2	6 1/4
459	Standard	3 5/8 x 9	3 5/8 x 7 5/16	AC-Only	2	10,000	1/16	—	—	10 5/16	4 1/4	5

SKIL® SANDERS

593
SANDCAT SANDER

T.M.

STANDARD DUTY LIGHTWEIGHT SANDER

Compact and lightweight with the ease of control of an orbital sander and the fast stock removal and low vibration characteristics of a conventional belt sander

- Ball and needle bearing construction for smooth, trouble free operation
- Exclusive locking lever for easy sanding-belt replacement
- 2.8 amps burnout protected motor
- Double insulated for added safety
- Weighs only 4 1/2 lbs. for comfortable use even when sanding overhead
- No load belt speed 600 fpm
- Five 2 1/2" x 16" assorted sanding belts included

71889 DUST COLLECTOR ATTACHMENT

Available as an accessory. Plugs into most tank-type vacuum cleaner hoses to keep work area clear of sanding dust when using Sandcat sander





595
TRADESMAN TOOLS ★★★★

HEAVY DUTY 3" BELT SANDER

Lightweight and economical, ideal for most home workshop projects Equipped with vacuum dust collector and bag

- No-load belt speed—1,000 fpm
- 3/4 hp, 5.5 amp burnout protected motor
- Equipped with one 3" x 21" sanding belt

594 Same as 595 without vacuum dust collector and bag. 5 amp motor

846
TRADESMAN TOOL ★★★★

HEAVY DUTY 7" DISC SANDER

Compact, well-balanced design for handling ease. Treaded backing pad with lock nut. High gear ratio for tremendous torque

- Removable handle mounts on either side
- Large, non-marring tool rest on top
- Powerful 6.5 amp burnout protected motor, develops maximum 1 hp.
- 4,500 RPM
- Ball and needle bearing construction

See specifications on page 21

400
TRADESMAN TOOLS ★★★★

HEAVY DUTY 4" BELT SANDER

Ball and oil impregnated bearing construction, professional quality belt sander for years of service. AC-DC switch and motor. Equipped with vacuum dust collector and bag

- No-load speed 1,350 fpm
- 7 amp burnout protected motor
- Equipped with one 4" x 21-3/4" sanding belt

405
Same as 400, without vacuum dust collector and bag

Model No.	Duty Rating	Belt Size, Inches	Sanding Pad Size, Inches	Switch Type	Speed, No-Load, Ft. Per Min.	Amp Rating at 120V	Overall Length Inches	Net. Wt., Lbs.	Ship. Wt., Lbs.
593	Standard	2 1/2 x 16	2 1/2 x 4 1/2	AC-Only	600	2.8	8 7/8	4 1/2	5 3/4
595	Heavy	3 x 21	3 x 4 1/2	AC-Only	1000	5.5	11 3/4*	8 3/16	10
594	Heavy	3 x 21	3 x 4 1/2	AC-Only	1000	5	11 3/4	7 3/4	9 1/2
400	Heavy	4 x 21 3/4	4 x 4 1/2	AC-DC	1350	7	12 1/2*	13	14 1/2
405	Heavy	4 x 21 3/4	4 x 4 1/2	AC-DC	1350	7	12 1/2	12	13 1/2

*Length without dust bag

Accessories are shown on page 22.

SKIL® GRINDER

914

4-1/2" DISC GRINDER HEAVY DUTY
12,500 RPM

- A handy grinder for home shop, farm or professional use
- Lightweight and compact for easy maneuverability
- Spiral bevel gearing for added strength and lower noise level
- All ball bearings sealed to keep lubricant in and abrasive dust out
- Insulated gripping surfaces for added safety
- Convenient, thumb controlled switch with lock-on feature
- Removable rear housing for fast, easy motor inspection
- Removable side handle fits either side of tool
- Wheel guard, flange kit, spanner wrench, spindle wrench included with tool
- 4.5 amp burnout protected motor

SKIL® POLISHER

845

HEAVY DUTY 7" POLISHER

- 2500 RPM
- Low profile design, ideal for difficult contours and confined areas
- Powerful 6.5 amp burnout protected motor, develops maximum 1 hp
- Ball and needle bearing construction
- Side handle mounts either side
- Includes molded rubber backing pad, removable auxiliary handle, tool rest, wool polishing pad, lock nut and wrench

Model No.	Duty Rating	Maximum Capacities—Inches			Pad Size Inches	Switch Type	No-Load Speed RPM	Amp Rating At 120V	Length Overall, Inches**	Net Wt., Lbs.**	Ship. Wt., Lbs.
		Sanding Disc. Dia.	Wire Cup Brush Dia.	Disc Wheel, Dia.							
846	Heavy	7	4	—	—	AC-DC	4500	6.5	14 1/2	7 1/2	11
914	Heavy	4 1/2	2 1/2	4 1/2	—	AC-Only	12,500	4.5	10 1/4	4 2/5	5 3/4
845	Heavy	—	—	—	7	AC-DC	2500	6.5	14 1/2	7 1/2	11

SKIL® IMPACT WRENCHES

821

HEAVY DUTY
1/2" SQUARE DRIVE

- 5.5 amp., burnout protected motor
- Designed for high torque applications with minimum torque reaction
- Ball bearing construction
- Delivers 2,000 blows per minute at 1600 RPM and 280 ft./lbs. torque
- Equipped with the industrial type pin detent
- AC Only



471

HEAVY DUTY 1/2" SQUARE DRIVE
Same as model 821 except equipped with automotive type ring detent.



471-2 KIT

- Includes 471 impact wrench and roomy metal carrying case

Accessories are shown on page 22.

ACCESSORIES SANDER•GRINDER•IMPACT WRENCH•POLISHER

SANDING SHEETS 3 5/8" x 9"
(5 sheets per pkg.) Made with quality aluminum oxide abrasive for sanding.

Pkg. No.	Description
25752	Very Coarse
20697	Coarse
20698	Medium
20699	Fine
25753	Extra Fine

SANDING SHEETS 4 1/2" x 5 1/2"
(5 sheets per pkg.) Aluminum oxide.

Pkg. No.	Description
71885	Medium
71886	Medium Fine
71887	Fine
71888	Extra Fine

SANDING BELTS

			For Models 594, 595, 943	For Models 400 and 405	For Sandcat Sander Model 593
			2 Per Pak 3" x 21"	5 Per Pak 4" x 21¾"	2 Per Pak 2½" x 16"
TYPE	USE	GRIT	PKG. NO.	PKG. NO.	PKG. NO.
Closed Coat	New or unfinished wood plastics, resins ferrous and non-ferrous metals (wiping metal with cutting oil is often helpful).	(2-1/2) 30	—	18842	71942
		(1-1/2) 40	69538	18843	—
		(1) 50	—	18844	—
		(1-1/2) 60	—	18845	71943
		(1/0) 80	69537	19641	71944
		(2/0) 100	—	18846	71945
		(3/0) 120	69536	19642	—
		(4/0) 150	—	—	71954
		(6/0) 220	—	—	71955
Open Coat	For removing varnish, lacquer and paint. Also for green or resinous wood.	(2-1/2) 30	69539	18847	71946
		(1-1/2) 40	—	18848	—

DISC SANDER-GRINDER ACCESSORIES

TREADED RUBBER BACKING PADS
For use on all Skil Disc Sanders and most other makes. Use also to convert Skil Disc Grinders to Disc Sanders.
No. 72030—4½" dia., 12,500 rpm maximum safe speed
No. 72242—5" dia., 8,000 rpm maximum safe speed
No. 72243—7" dia., 6,000 rpm maximum safe speed

LOCK NUT
No. 72244—Use with pad No. 72242 and 72243
No. 72032—Use with Model 914 Grinder

LOCK NUT WRENCH
No. 2445—Use with lock nut No. 72244
No. 72034—For Model 914 Grinder

SPINDLE LOCK WRENCH
No. 72033—For Model 914 Grinder

PERFORATED FIBER PAD
Use a fiber pad larger than backing pad.
No. 72226—7" dia., use with 5" backing pad No. 72242 (8,800 maximum safe rpm) and nut No. 72244

SANDING KITS
No. 72035—4½" kit—includes No. 72031 backing pad, (12,500 maximum safe rpm) No. 72032 lock nut, 72033 spindle lock wrench, 72034 lock nut wrench.

No. 72245—7" kit—includes No. 72243 backing pad. (6,600 maximum safe rpm) No. 72244 lock nut and No. 2445 wrench.

SANDING DISCS
Use close coat (Type K) discs for metal, stone and marble. Use open coat (Type H) discs for soft materials or removing paint and varnish.

		4½"		7"	
GRIT	TYPE	NO	PER PKG.	NO.	PER PKG.
16	K	—	—	72228	10
24	K	72026	5	72229	10
36	K	—	—	72230	10
50	K	72027	5	72231	10
80	K	72028	5	72232	10
100	K	—	—	72233	25
120	K	72029	5	72234	25
16	H	—	—	72235	10
24	H	—	—	72236	10

WIRE CUP BRUSHES
Use with Skil model 846 or 1140 and any disc sander or grinder with 5/8"-11" thread spindle
No. 21031—4" dia., crimp type with .014" dia. wire.
No. 21032—4" dia., spiral twist, single row type with .020" dia. wire
Use with Skil model 914
No. 21024—2½" dia., knot style with .014 dia. wire.

DISC GRINDING WHEELS
Use with Skil models 914 grinder

No.	Diameter & Width	Abrasive & Grit	ARBOR	Max. Safe RPM
72020	4 1/2"x3/16"	Silicon Carbide 24 Grit	7/8" Rd.	12,500
72021	4 1/2"x1/8"	Silicon Carbide 30 Grit	7/8" Rd.	12,500
72022	4 1/2"x3/16"	Aluminum Oxide 24 Grit	7/8" Rd.	12,500
72023	4 1/2"x1/8"	Aluminum Oxide 30 Grit	7/8" Rd.	12,500

ADAPTER FLANGE
Use with Skil model 914 disc grinder.
No. 72025—Includes flange and lock nut. Must be used with disc grinding wheels without spin-on adapter.

SAFETY GUARD
No. 72024—Same as supplied with Skil model 914 disc grinder.

IMPACT WRENCH ACCESSORIES

No. 24090
1/2" KEYLESS CHUCK
For 1/2" Square Drive Impact Wrenches. Use with any 1/8" to 1/2" shank drill or driver accessories.

No. 24350
QUICK CHANGE BIT ADAPTERS
Permits instant changing of hex shank screwdriver bits and socket shanks and hex shank wood augers and bits
For 7/16" screwdriver bit hex and 1/2" impact wrench square drive.

POLISHER ACCESSORIES AND LUBRICANTS

For any Skil and most other make polishers			Backing Pad	Pad Nut
	No. 22691 WOOL POLISHING PAD ⅞" Hole; 7½" diameter. Has deep tufted lambswool nap firmly attached to strong canvas back. Far outlasts ordinary pads or bonnets.	Use with	No. 4679	No. 2427
	No. 4711 WOOL BONNET Genuine Lambswool, deep pile bonnet with hood and draw string.	Use with	No. 4679	

No. 4679—7" MOLDED RUBBER BACKING PAD
Same as furnished with all Skil polishers. Has highest quality rubber with a molded in threaded steel insert for mounting to a ⅝"—11 spindle.

No. 2427
SHORT PAD NUT
For clamping polishing pad to backing pad.



No. 2445
PAD NUT WRENCH
Required for tightening pad nut.



LUBRICANTS
For Models 845, 846, 914, 1140, 1145, 471 and 821.
No. 252—5⅜ oz. tube.

SKIL® ROUTERS

548

STANDARD DUTY 1/2 HP ROUTER

Compact, lightweight. Easy to handle, and ideal for home use. Sliding on-off switch conveniently located.

- 27,000 rpm no-load speed
- Built-in spindle lock for easy bit changing
- 1/2 hp, 3.8 amp burnout protected motor
- Micrometer adjustment for accurate depth settings
- 1/4" collet and wrench and eye shield

1ST/ HALF PROMOTIONAL SPECIAL
OFFER EXPIRES JUNE 30, 1980
$39.99*
*Mfr.'s suggested retail promotional price

UL

UL

295

HEAVY DUTY 1 HP ROUTER

Designed for dependable service in daily operation. Ball bearing construction. Contoured handles, and convenient sliding on-off switch within fingertip reach without releasing grip on handle.

- 1 hp. 5.5 amp burnout protected motor
- 22,500 rpm no-load speed
- Adjustable, easy to read scale for accurate depth settings
- Built-in spindle lock for easy bit changing
- Includes plastic eye shield, 1/4" collet and wrench

UL

297

HEAVY DUTY 1 1/8 HP ROUTER

Best all-round model for general production work. Ball bearing construction. Trigger-type on-off switch, located in handle for convenience and comfort. Built-in light to illuminate work area.

- Powerful 1⅛ hp. 7 amp burnout protected motor
- 22,500 rpm no-load speed
- Adjustable, easy-to-read scale for accurate depth settings
- Built-in spindle lock for easy bit changing
- Equipped with 1/4" collet, collet wrench and plastic eye shield

UL

293

HEAVY DUTY LAMINATE TRIMMER

Fast, smooth trimming of wood, laminates, plastic. Lightweight, easy-to-use, compact design for one-hand operation.

- 1/2 hp, 3.8 amp burnout protected motor
- 27,000 rpm no-load speed
- Built-in spindle lock for easy bit changing
- Sliding on-off switch
- Guide roller easily removed for cleaning
- Equipped with 1/4" collet, collet wrench and 22-1/2° bevel and flush edging carbide bit

295-1
ROUTER KIT
Includes 295 router, 1/4" straight bit, straight and circle edge guide, and steel carrying case.

297-1
ROUTER KIT
Includes 297 router, 1/4" straight bit, straight and circle edge guide, collet wrench, eye shield and steel carrying case.

No. 71024
ROUTER ACCESSORY KIT
Contains straight and circular edge guide, rounding over bit, 2 straight bits, and core box bit. For use with Models 548 or 938.

No. 71023
ROUTER BIT STARTER KIT
An excellent assortment for the beginner. Includes 2 straight bits, 1 core box bit and 1 rounding over bit. All made of high speed steel with 1/4" shanks.

Model No.	Duty Rating	Motor HP	Switch Type	No-Load Speed RPM	Amp Rating At 120V	Base Plate Dia. Inches	Overall Height Inches	Net. Wt., Lbs.	Ship. Wt., Lbs.
548	Standard	1/2	AC-Only	27,000	3.8	5 3/4	7 1/4	4 1/2	5 1/4
295	Heavy	1	AC-Only	22,500	5.5	5 5/8	7 1/8	6 1/4	7 3/4
297	Heavy	1 1/8	AC-Only	22,500	7.0	5 5/8	7 1/8	6 1/2	8
293	Heavy	1/2	AC-Only	27,000	3.8	—	7 3/4	4 1/4	5 1/2

Kit Shipping Weight: Model 295-1, 15 lbs.; Model 297-1, 15 1/2 lbs.

SKIL ROUTER BITS

Skil router bits are made of the finest high speed steel or carbide for every routing, forming, veneer and laminate trimming. application. Controlled hardening and tempering methods for lasting and satisfying service.

STRAIGHT BITS
TWO FLUTES

All purpose stock removal, 2 flutes for hardwood, smooth cut.



HIGH SPEED STEEL

NO.	DIMENSIONS—INCHES A	B	C	D
11564	1/4	5/8	1/4	1
19123	1/4	1 5/8	1/4	1 1/4
11567	5/16	3/4	1/4	1
11568	3/8	1 1/16	1/4	1
43733	3/8	1	3/8	1 1/4
11565	7/16	1 1/16	1/4	1
11566	1/2	3/4	1/4	1
19121	5/8	5/8	1/4	1
19122	3/4	5/8	1/4	1
19127	1/2	1 1/8	1/2	1 7/16
19128	1/2	2	1/2	2
11562	3/4	1 3/8	1/2	1 7/16
11569	1	1 1/8	1/2	1 7/16

CARBIDE TIPPED

19143	1/4	5/8	1/4	1 1/16
19144	3/8	7/8	1/4	1
19145	1/2	7/8	1/4	1
29795	1/2	1 1/4	1/2	1 1/2
29798	3/4	1 1/4	1/2	1 1/2

SURFACING BIT
TWO FLUTES

For hinge-butt mortising with all standard templates.



HIGH SPEED STEEL

17088	1/2	1 7/32	1/4	1 21/32

CARBIDE TIPPED

19147	1/2	5/16	1/4	1 7/16

VENEER TRIMMING BIT
TWO FLUTES 22½° BEVEL



CARBIDE TIPPED

19627	1 5/32	7/16	1/4	1

LAMINATE TRIMMING BIT
22° BEVEL

A lower cost bit specially designed for the small laminate edge trim job.



HIGH SPEED STEEL

73398	5/16	1/8	1/4	1

STRAIGHT BIT
SINGLE FLUTE

General purpose routing. Single flute for faster feed.



HIGH SPEED STEEL

19124	1/16	3/16	1/4	1
19125	1/8	7/16	1/4	1
19126	5/16	7/16	1/4	1
43734	1/4	3/4	1/4	1 1/4

CORE BOX BIT
TWO FLUTES

Decorative and general detail work.



HIGH SPEED STEEL

11556	1/4	1/4	1/4	1
11557	5/8	1/4	1/4	1
11555	1/2	1 1/32	1/4	1
11554	5/8	3/8	1/4	1
11551	3/4	5/32	1/4	1

DOVETAIL BIT
TWO FLUTES

For dovetail joining.



HIGH SPEED STEEL

NO.	DIMENSIONS—INCHES A	B	C	D
19133 (small dovetail)	9/32	3/8	1/4	1 1/4
19134 (large dovetail)	9/16	17/32	1/4	1 3/32

OGEE BIT
TWO FLUTES

Decorative cuts on face of material—use edge guide.



HIGH SPEED STEEL

19137	3/16	5/8	1/4	1
19138	9/32	29/32	1/4	1

ROMAN OGEE BIT
TWO FLUTES WITH PILOT

For decorative edge cuts.



HIGH SPEED STEEL

19135	5/32	1/2	1/4	1
19136	1/4	3/4	1/4	1

RABBETING BIT
TWO FLUTES WITH PILOT

General rabbet or step cuts.



HIGH SPEED STEEL

19131	1/4	7/16	1/4	1
19132	3/8	1/2	1/4	1

ROUNDING OVER BIT
TWO FLUTES WITH PILOT

Decorative round edges or by setting bit lower, add decorative edge.



HIGH SPEED STEEL

11560	1/4	1/2	1/4	1
11559	3/8	5/8	1/4	1
11558	1/2	3/4	1/4	1

STAGGER TOOTH BIT

For cut outs in laminates and problem materials.



CARBIDE TIPPED

43743	1/2	2	1/2	2

SINGLE END VEINING BITS



HIGH SPEED STEEL

71950	1/16	3/16	1/4	1
71951	1/32	7/16	1/4	1
71952	1/8	7/16	1/4	1
71953	7/32	7/16	1/4	1

BEADING BIT
TWO FLUTES WITH PILOT

Decorative edging, window sashes.



HIGH SPEED STEEL

NO.	DIMENSIONS—INCHES A	B	C	D
11572	1/8	3/8	1/4	1
11571	1/4	1/2	1/4	1
11570	3/8	3/4	1/4	1

45° CHAMFERING BIT
TWO FLUTES WITH PILOT

Decorative edges and 45° panel joints.



HIGH SPEED STEEL

11839	1/2	1/2	1/4	1

"V" GROOVING BIT
TWO FLUTES

For simulated panel design, lettering, free hand routing.



HIGH SPEED STEEL

	A	B	C	D	E
19129	1 1/32	7/16	1/4	1	1/2
19130	7/8	7/8	1/4	1	1 15/64

COMBINATION PANEL BIT
SINGLE FLUTE

Drill your own starting hole, then guide on template or frame for cut outs in plywood, etc.



HIGH SPEED STEEL

19142	1/4	3/4	1/4	2 5/8	1 5/16
27838	3/8	7/8	3/8	3	1 1/16

CARBIDE TIPPED

19146	1/4	3/4	1/4	2 5/8	1 5/16
29799	3/8	1 3/16	3/8	3	1 1/32

COVE BIT
TWO FLUTES WITH PILOT

For decorative edge routing.



HIGH SPEED STEEL

	A	B	C	D
11553	3/16	3/8	1/4	1
11550	1/4	1/2	1/4	1
11552	3/8	5/8	1/4	1
11573	1/2	3/4	1/4	1

TEMPLATE GUIDES

For guiding routers along patterns and templates when duplicating designs. Eliminate possibility of bit cutting pattern. Guides attach to sub-base of Models 295, 548, 297 and 299 with No. 11587 lock nut. (Order separately.)

NO.	A	B	C
11591	3/8	3/8	1 3/4
11592	7/16	7/16	2 3/4
11593	1/2	1/2	2 3/4
11590	7/16	3/4	4 3/4
11589	7/32	1	5 3/4
11588	3/8	1 1/4	1 3/4
17089*	5/8	21/32	3/16
71021**	3/8	5/8	2 3/4
11587	Lock nut for template guides		



*For hinge-butt mortising; all other guides for general routing.
**Use with 71022.

"D" Dimensions: 1 1/16"—24 Thread

ROUTER ACCESSORIES

22° BEVEL LAMINATE TRIMMER COMPLETE
Consists of No. 69055 Arbor and No. 69056 Bevel Cutter **69054**

ARBOR
Complete with No. 69059 ⅝" dia. high speed ball bearing, two spacer washers and nut. Has ¼" shank and ¼" arbor. For use with all cutters listed below ..... **No. 69055**
Bevel cutters have ¼" arbor hole. Use with No. 69055 arbor.

22° BEVEL CUTTER ..... **No. 69056**

45° BEVEL CUTTER ..... **No. 69057**
Has ¼" arbor hole and ⅝" O.D. Use with No. 69055 arbor..... **No. 69058**

5/8" DIA. BALL BEARING
Same as furnished with No. 69055 arbor..... **No. 69059**

13/16" DIA. BALL BEARING
For use with No. 69056, 22° and No. 69057, 45° Bevel Cutters on the No. 69055 arbor. Allows operator to wear two different areas on the cutter edge before resharpening ..... **No. 69060**

VENEER AND LAMINATE TRIMMING ATTACHMENTS
Adjustable for both flush and bevel trimming with one bit. Order components as follows: For use with Models 295 and 297 Routers, order No. 19200, No. 19627 and No. 19628. For Models 548 and 938, order No. 19200, 19627.

VENEER TRIMMING GUIDE
Attaches to No. 19628 Sub-Base or directly to 548, 938, 295 Type 2, 297 Type 2 Router for veneer trimming.
- Non-marring nylon guide roller wheel
- Includes set-up pin for centering bit exactly with guide wheel
- Use with No. 19627 bit..... **No. 19200**

CARBIDE TIPPED BIT
Precision ground combination bit for both flush and bevel cutting of wood veneers, plastics and decorative laminates.
- Two flute type with 22½° bevel angle. Use with No. 19200 Guide .. **No. 19627**

VENEER TRIMMING SUB-BASE
High impact, non-marring plastic with predrilled holes for attaching No. 19200 Guide for Models 295 Type 1, 297 Type 1, and 548 Routers ..... **No. 19628**

HINGE-BUTT TEMPLATE KIT
for 7"-11" hinge spacing
Mortises 2½" to 5½" size hinges with Model 295, 297, 548 or 938 Routers
"Rectracto" pins automatically locate template on jambs for either 1⅜" or 1¾" door thicknesses.
Packed in steel carrying case. Easy-to-follow instructions included.
Equipment: Three templates with connecting rods, height gauge, nail puller, extra nails, carrying case, No. 17088 Surfacing Bit, No. 17089, Template Guide, No. 11587, Lock Nut and No. 17831 Corner Chisel..... **No. 17070**

CORNER CHISEL
For squaring mortises when installing square cornered hinges. Same as furnished with No. 17070 Template Kit ... **No. 17831**

LOWCOST HINGE-BUTT TEMPLATE KIT
Three-section template for square or round cornered hinges up to 5 in. long. Mortises 2 or 3-hinge doors up to 7 ft. high, from ¾, 2½ inches thick. Butt-hinge, template, set of two for 3½ and 4 inch hinges .. **No. 71022**

UNIVERSAL ROUTER/SHAPER JIG SAW TABLE
Features miter gauge for decorative edging and shaping at any angle. Accepts Skil Models 295, 297, 548 and 938 Routers, as well as most competitive routers ..... **No. 71026**

STRAIGHT AND CIRCULAR EDGE GUIDE
For Models 295 and 297 ... **No. 16890**
For Models 548 and 938 ... **No. 69960**
For All Models ..... **No. 69965**

ROUTER CARRYING CASE
For Models 295 & 297 and accessories ..... **No. 43730**
For Models 548 and 938 Router..... **No. 73261**

SKIL® PLANE 96

TRADESMAN TOOL ★★★★

3 1/4" PLANE HEAVY DUTY

- A lightweight well-balanced, powerful and economical tool for fast and accurate edge or surface planing
- All shielded ball bearing construction
- High speed steel cutting blades for maximum blade life, precision cutting, and simple resharpening.
- Cutter head driven by cog-belt requiring no lubricant
- Conveniently located depth adjustment knob is clearly marked for accurate settings and doubles as front handle
- Center line balance with front and rear handles placed for excellent control eliminates gouging and uneven cutting
- Chip deflector discharges away from operator
- Edge guide mounts on either side
- Equipped with blade adjusting kit and box wrench

PLANE ACCESSORIES

- **REPLACEMENT BLADES**
  No. 72106—Set of two high speed steel, for use on Model 96. Same as furnished with Model 96
- **REPLACEMENT DRIVE BELT**
  No. 72108 for Model 96
- **EDGE GUIDE**
  No. 72109 for Model 96
- **SOCKET WRENCH**
  No. 72107 for Model 96
- **BLADE SHARPENING KIT**
  No. 72110 for Model 96 Plane
- **BLADE ADJUSTING KIT**
  No. 72111 for Model 96 Plane
- **CARBIDE BLADES**
  No. 72114 - Set of two carbide tipped blades, for use on Model 96

Model No.	Duty Rating	Width of Cut	Depth of Cut	Switch Type	No-Load Speed	Amps	Length Overall	Net Wt., Lbs.	Ship. Wt. Lbs.
96	Heavy	3 1/4"	0-1/16"	AC-Only	15,000	3.6	11 3/8"	5 1/2	6 3/4

SKILSAW® RECIPRO SAWS

577

STANDARD DUTY VARIABLE SPEED

Cuts anything from fence posts to metal conduit. Excellent for pruning trees, shrubs, etc. Three-position foot for best cutting efficiency.

- 0-2000 strokes per minute
- Cuts wood, plastic and compositions at high speed
- 3 amp burnout protected motor
- Equipped with side handle, one blade and blade wrench



474

HEAVY DUTY VARIABLE SPEED SAW

- Adjustable variable speed control from 0-2,400 strokes per minute
- 5 amp burnout protected motor
- 3 wire, 8 ft. cord

474-1 HEAVY DUTY VARIABLE SPEED SAW KIT

Contains 474 variable speed saw, two blades, blade wrench and steel carrying case



472

HEAVY DUTY SINGLE SPEED SAW

- 2,400 strokes per minute
- AC-DC switch and motor
- 6 amp burnout protected motor

Models 474 & 472 are designed to stand up under the heavy use of electricians, carpenters, plumbers and heating and air conditioning tradesmen. They have the following features in common:

- Off-center blade for cutting close to walls and other surfaces
- Multi-position foot adjusts in or out to expose unused portion of blade. Helps prolong blade life
- Foot swivels on mounting shaft to position blade with teeth facing up, down or to either side
- Positive front housing grip eliminates the need for side handles
- Lock-on button for continuous cutting
- Equipped with one blade and blade wrench

Model No.	Duty Rating	Length Of Stroke, Inches	Switch Type	Strokes Per Minute, No Load		Amp Rating At 120V High Speed	Overall Length, Inches	Tool Wt., Lbs.	Ship. Wt., Lbs.
				Low Speed	High Speed				
577	Standard	3/4	AC-Only	0 to 2000		3	11 3/4	5 3/4	6 1/2
474	Heavy	1	AC-Only	0 to 2400		5	16 1/4	7 1/4	9
472	Heavy	1	AC-DC	2400		6	16 1/4	7 1/2	9

271

HEAVY DUTY ADJUSTABLE VARIABLE SPEED REVERSING DRYWALL SCREWDRIVER

Fast, easy, low cost way to install drywall panels to metal or wood studs. Drives drywall screws to exact desired depth without marring or damaging panels or screwheads.

- Operates as variable speed from 0 to 2500 RPM with Lock on Button for continuous operation
- All ball and needle bearings
- Vented plastic nosepiece with stainless steel sleeve, is non-clogging, non-corrosive and improved magnetic grip on screws
- Positive clutch with simple stop sleeve adjustment for depth control. Automatically disengages at pre-set depth
- 3.2 amp Burnout Protected Motor
- Equipped with 3 prong, 6 ft. cord



Model No.	Duty Rating	Clutch Type	Switch Type	Drive	Capacities			Spindle Offset Inches	No Load RPM	Amp Rating At 120V	Overall Length, Inches	Net Wt., Lbs.	Ship. Wt., Lbs.
					Thread Cutting Screws	Machine Screws And Nuts	Wood Screws And Self-Tapping Screws						
271	Heavy	Positive	AC-Only	1/4" Hex	No. 6	1/4"	No. 12	13/16	0-2500	3.2	11"	3 1/3	4

UNIVERSAL 1/2" SHANK RECIPRO SAW BLADES

For all Skil Recipro Saws and most other makes of reciprocating saws. Metal cutting blades are top quality, long life, high speed steel. All other blades are tough, resilient, chrome alloy or high carbon alloy steel.

NO.	TEETH PER IN.	LGTH.	RECOMMENDED USE
METAL CUTTING			
71040	10	4"	Ferrous metals ¼" or thicker; non-ferrous metals ⅛" or thicker. Use 8" blade for cutting cast iron, steel pipe to 5" diameter.
71041	10	6"	
71042	10	8"	
71043	14	4"	Ferrous metals 3/16" to ¼" thick, non-ferrous metals less than ⅛"
71044	14	6"	
71045	18	4"	Ferrous metals 1/16" to 3/16" thick.
71046	18	6"	
71047	24	4"	Ferrous metals less than 1/16" thick.
71048	32	4"	Very light gauge sheet metal, tubing, trim, etc.
METAL SCROLL CUTTING			
71051	10	4"	Metals, ferrous sheet ¼" or thicker, non-ferrous metals ⅛" or thicker.
71052	14	4"	Ferrous metals 3/16" to ¼"; non-ferrous metals under ⅛".
71053	18	3¼"	Ferrous sheet metal 1/16" to 3/16" thick.
71055	24	3¼"	Ferrous sheet metal less than 1/16" thick.
WOOD ROUGHING-IN			
71056	3½	6"	Fastest cutting in 1" or thicker wood. Use for notching timbers; cutting green, wet or fibrous wood, limbing trees.
71057	3½	9"	
71059	3½	12"	
71063	6	6"	Fast cutting in hardwood, plastic and hard composition board. Keyhole type blade.
71060	6	12"	
71061	8	6"	
71062	8	12"	
DOUBLE EDGE			
71071	7	4⅛"	For making cuts in corners and tight spots. Sawing back to a line when plunge cutting.
WOOD SCROLL CUTTING			
71064	6	4"	Set tooth blade for fast curved or irregular shaped cuts in wood, compositions.
71065	8	4"	Hollow ground blade for smooth cuts in curved or irregular shapes in wood, compositions.
MULTI-PURPOSE			
71066	6	6"	Tough, economy blades for fast roughing-in. Cut most materials including wood and where nails are occasionally encountered; soft metals. Use 6-tooth blades for ½" or thicker materials, 10-tooth blades for materials under ½" thick.
71067	6	12"	
71068	10	4"	
71069	10	6"	
71070	10	12"	
PLASTER CUTTING			
71076	6	6"	Plaster and lath, plasterboard and many other abrasive materials.
71077	6	4"	
KNIFE BLADE			
71079	—	4"	Cardboard, paper, cork, rubber, leather, felt and other similar materials.
PRUNING			
71075	6	12"	For pruning trees and shrubs.

SKIL WET AND DRY VACUUM CLEANERS

2500

8 GALLON

Powerful, mobile unit designed for cleaning up messes, wet or dry, in basements, garages, patios, pools, boats, wherever heavy duty dirt needs power cleaning.

- Sturdy all steel tank with rust-resistant baked epoxy interior
- Four wheel dolly provides easy mobility
- Hose connects to side of tank to increase ease of pulling the tank as you vacuum
- Positive lock inlet accepts 1¼" and 1½" hoses, without adaptors
- Automatic float shutoff protects motor from water
- Can be used as a blower

Equipment included: 6 ft. x 1¼" plastic hose; two 20" x 1¼" extension tubes, 6" x 1¼ master head with brush and squeegee attachments, four wheel dolly, foam filter pad.

Specifications: 6 amps. 120V 60 HZ; 8 ft. three prong cord.

2505

10 GALLON

Big capacity for big clean up jobs. Three wheel, well balanced, industrial dolly offers all the mobility and flexibility of small units.

- Sturdy all steel tank with rust-resistant baked epoxy interior
- Chrome handled, three wheel, industrial dolly for easy, well balanced mobility
- Long, 18 ft., 3-prong cord permits wide area cleaning from one outlet
- Hose connects to front-side of tank to increase ease of pulling tank as you vacuum
- Positive lock inlet accepts 1¼" and 1½" hoses without adaptor
- Automatic float shutoff protects motor from water
- Can be used as a blower

Equipment included: 10 ft. x 1½" heavy duty hose; 6" x 1½" master head with brush and squeegee attachments; three wheel, industrial dolly; foam filter and full cloth bag filter.

Specifications: 6 amps. 120V 60 HZ; 18 ft. three-prong cord.

Model No.	Duty Rating	Capacity	Switch Type	Amp Rating At 120V	Hose Sizes Accepted Inches	Ship. Wt. Lbs.
2500	Heavy	8 Gals.	AC-Only	6	1 1/4 & 1 1/2	22
2505	Heavy	10 Gals.	AC-Only	6	1 1/4 & 1 1/2	43

1¼" ACCESSORIES

72071 20" Plastic Wands (2)
72072 20" Metal Wands (2)
72073 Curved Wand, Diffuser
72074 6" Master Nozzle
72075 6" Squeegee, Plastic
72076 6" Brush, Plastic
72077 14" Master Nozzle
72078 14" Squeegee, Plastic
72079 14" Brush, Plastic
72080 14" Rug, Plastic
72081 Round Brush
72082 Crevice Tool

1½" ACCESSORIES

72085 20" Wands (2), Metal
72086 6" Master Nozzle, Plastic
72087 14" Master Nozzle, Metal
72088 14" Squeegee, Metal
72089 14" Rug, Metal
72090 14" Brush, Metal
72091 15" Crevice, Metal
72092 Metal Round Brush

HOSES

72070 6' x 1¼" Hose
72084 10' x 1½" Crushproof Hose

FILTERS

72093 Paper Filters package of 5
72094 Foam Filter, 1
72095 Full Bag Filters, 1

ACCESSORY KIT

72083

Deluxe 1¼" Kit—includes 72073 Curved Wand/Diffuser; 72072 (2) 20" Metal Wands; 72077 14" Master Nozzle; 72078 14" Squeegee 72079 14" Brush, Plastic and 72080 14" Rug, Plastic

POWER TOOL ACCESSORY PROFIT CENTER

49560 3 FT. POWER TOOL ACCESSORY PROFIT CENTER

In less than five square feet you can display this broad line of accessories which fit all makes of power tools. You buy the accessories and get the display FREE. Each header card surves as a matrix for placement of hooks and contains part numbers for stocking and re-ordering.

Quan.	Description	Part No.
5	Chuck Key & Holder	71860
5	Chuck Key & Holder	71861
5	Chuck Key & Holder	1752
10	Sanding Disc	3293
10	Sanding Disc	3294
10	Sanding Disc	3295
5	Sander/Polisher Kit	3359
5	Bonnet	3363
5	Arbor Adaptor	9426
5	4" Wire Brush	9427
5	Grinding Wheel	9428
5	Backing Pad	10491
5	Paint Mixer	13760
2	2 3/4" Cup Brush	12769
5	Jig Saw Blade	71930
5	Jig Saw Blade	71920
5	Jig Saw Blade	71921
5	Jig Saw Blade	71931
5	Jig Saw Blade	71924
5	Jig Saw Blade	71928
5	Jig Saw Blade	71926
2	Dial Saw	73400
10	Sanding Sheet	20697
10	Sanding Sheet	20698
10	Sanding Sheet	20699
5	1/4" Masonry Bit	22128
5	3/8" Masonry Bit	22129
5	5/16" Masonry Bit	22130
2	1/2" Masonry Bit	22132
10	Chuck Key,Holder	23756
10	Jig Saw Blade	71923
10	Jig Saw Blade	71925
5	Jig Saw Blade	71929
5	Jig Saw Blade	71922
5	Jig Saw Blade	71933
5	Jig Saw Blade	71937
5	Jig Saw Blade	71938
2	1 1/2" Cup Brush	43333
5	3" Wire Brush	43334
2	Screwdriver Attachment	43942
2	Speed Reducer	43943
5	3/32" Twist Drill Bit	43664-2
5	7/64" Twist Drill Bit	43665-2
5	1/8" Twist Drill Bit	43666-2
5	9/64" Twist Drill Bit	43667
5	7 PC. Drill Bit Set	43676
5	3" Cotton Buffing Wheel	43678
5	4" Cotton Buffing Wheel	43679
4	Socket Set	43685
2	1/4" Chuck & Key	67973
5	Screwdrills	68251
5	Screwdrills	68252
5	Screwdrills	68253
5	Screwdrills	68254
5	Router Drill	68255
5	Jig Saw Blade	71927
	3 Ft. Display, Header, Hooks, Channels, Re-Order Cards	

nrha Approved Display Unit



No. 49560

COMPLETE ASSORTMENT— THE KEY TO INCREASED SALES

When a weekend handyman wants to buy a saw blade he usually needs it right now because he is in the middle of a project. Offer a complete assortment with these jig and reciprocating saw blade merchandisers. You buy the blades and get the displays FREE.

nrha Approved Display Unit

No. 49680 RECIPRO SAW BLADE MERCHANDISER

Quan.	Description	Part No.
10	Wood Cutting	71061
10	Wood Cutting	71063
10	Wood Cutting	71065
10	Metal Cutting	71045
10	Multi-Purpose	71066
10	Multi-Purpose	71069
	DISPLAY RACKS & HEADER CARDS	

No. 49774 ECONOMY JIG SAW BLADE MERCHANDISER

Quan.	Description	Part No.
5	Metal Cutting	71920
5	Metal Cutting	71921
10	Wood Cutting	71923
10	Wood Cutting	71927
5	Wood Cutting	71933
5	6-Blade Assortment	71939
	DISPLAY RACKS & HEADER CARDS	

No. 49771 JIG SAW BLADE MERCHANDISER

Quan.	Description	Part No.
5	Metal Cutting	71920
5	Metal Cutting	71921
5	Metal Cutting	71922
10	Wood Cutting	71923
5	Wood Cutting	71924
10	Wood Cutting	71925
5	Wood Cutting	71926
5	Wood Cutting	71927
5	Wood Cutting	71928
5	Wood Cutting	71929
5	Wood Cutting	71930
5	Wood Cutting	71931
5	3-Blade Assortment	71937
5	3-Blade Assortment	71938
	DISPLAY RACKS & HEADER CARDS	

SPACE-SAVING ACCESSORY MERCHANDISERS

Build your accessory department with these merchandisers designed for 1/4" hole pegboard. They enable you to use the space you have to its profitable best. Complete re-stocking information on each header which also serves as matrix for hook placement. Order the accessories and get the displays FREE.

DRILL BIT MERCHANDISER – 49819



TWIST DRILL BITS		
Quan.	Description	Part No.
3	1/16" Twist Drill Bit	*43662-2
3	3/32" Twist Drill Bit	*43664-2
3	7/64" Twist Drill Bit	*43665-2
3	1/8" Twist Drill Bit	*43666-2
3	9/64" Twist Drill Bit	43667
3	5/16" Twist Drill Bit	43670
3	1/4" Twist Drill Bit	43674
2	5/16" Twist Drill Bit	71016
2	3/8" Twist Drill Bit	71017
2	7/16" Twist Drill Bit	71018
2	1/2" Twist Drill Bit	71019
2	5/16" Twist Drill Bit	69526
2	3/8" Twist Drill Bit	69527
2	7/16" Twist Drill Bit	69528
2	1/2" Twist Drill Bit	69529
5	Center Punch	71015
	DISPLAY, HEADER CARDS, HOOKS	—
	*2 Bits Per Package	

TWIST DRILL SETS		
Quan.	Description	Part No.
4	5 piece set 1/16", 3/32", 1/8" 3/16", 1/4" bits	43677
4	7 piece set 1/16", 3/32", 1/8" 5/32", 3/16", 7/32", 1/4" bits	43676
2	4 piece set Reduced Shanks 5/16", 3/8", 1/2" and center punch	71084
2	13 piece set Plastic Cases 1/16" to 1/4" bits by 64th's DISPLAY, HEADER CARDS AND HOOKS	43661



MASONRY DRILL BITS		
Quan.	Description	Part No.
5	1/4" Masonry Drill Bit	22128
5	5/16" Masonry Drill Bit	22129
5	3/8" Masonry Drill Bit	22130
5	7/16" Masonry Drill Bit	22131
5	1/2" Masonry Drill Bit	22132
3	9/16" Masonry Drill Bit	29916
3	5/8" Masonry Drill Bit	29917
2	3/4" Masonry Drill Bit	29919
5	3/16" Masonry Drill Bit	29921
	DISPLAY, HEADER CARDS & HOOKS	—

MONEY-MAKING ACCESSORY MERCHANDISERS

DRILL ACCESSORY MERCHANDISER – 49820





DRILL ACCESSORIES

Quan.	Description	Part No.
5	Arbor Adapter	9426
5	4" Wire Wheel Brush	9427
5	Grinding Wheel	9428
5	3" Wire Wheel Brush	43334
5	3" Cotton Buffing Wheel	43678
5	4" Cotton Buffing Wheel	43679
	DISPLAY, HEADER CARDS, HOOKS	—

GENERAL DRILL ACCESSORIES

Quan.	Description	Part No.
2	2¾" Wire Cup Brush	12769
5	Paint Mixer	13760
2	Dial Saw	73400
10	Chuck Key Holder	23756
2	1½" Wire Cup Brush	43333
5	Screwdrill	68251
5	Screwdrill	68252
5	Screwdrill	68253
5	Screwdrill	68254
5	Router Drill	68255
	DISPLAY, HEADER CARDS AND HOOKS	—

SANDER/POLISHER ACCESSORIES

Quan.	Description	Part No.
10 Pkgs.	1 - ½ (40) Grit Sanding Discs	3293
10 Pkgs.	1/0 (80) Grit Sanding Disc	3294
10 Pkgs.	3/0 (120) Grit Sanding Disc	3295
5 Pkgs.	Sanding and Polishing Kit	3359
5 Pkgs.	Lambs Wool Bonnet	3363
5 Pkgs.	Rubber Disc Pad and Arbor	10491
	DISPLAY, HEADER CARDS & HOOKS	—

DRILL ACCESSORY MERCHANDISER – 49821





DRILL CHUCK & KEY

Quan.	Description	Part No.
5	¼" Key	71860
5	¼" Key	71861
2	¼" Chuck & Key	67973
2	⅜" Chuck & Key	67974
2	½" Chuck & Key	67975
	DISPLAY RACK, HEADER CARDS AND HOOKS	—

SCREWDRIVER ATTACHMENTS AND BITS

Quan.	Description	Part No.
2	Screwdriver Set	43942
1	Speed Reducer	43943
2	Socket Set	43685
5	#1 Phillips Bit	43707
5	#2 Phillips Bit	43708
5	#3 Phillips Bit	43709
5	Slotted Bit	43710
5	Slotted Bit	43711
5	Slotted Bit	43712
5	Socket Adaptor	43713
	DISPLAY, HEADER CARDS & HOOKS	—

SAW BLADE MERCHANDISERS

NEW!

49735



High quality, economical carbide tipped blades make their use practical for contractors and handymen alike. Permanently brazed carbide tips provide up to 30 times longer cutting life than non-carbide tipped blades.

Carbide tipped blades are excellent for cutting the following materials:

Wood, fiberglass, masonite, chip board, composition board, asbestos cement products, soft aluminum and other non-ferrous metals, plastic and many of the new synthetic materials. Both blades have combination diamond to ⅝" round arbor.

No. 49735 CARBIDE TIPPED CIRCULAR SAW BLADES MERCHANDISER

Quantity	Size	Blade Description	No.
5	6½	Carbide	72650
5	7¼	Carbide	72725
1	—	Display	—

49683

Here's the merchandising display unit to supplement your power saw sales. It's compact, sturdy and has built-in merchandising appeal. What's more, it's easy to use and easy to identify blades. Has Skil's first line of blades in all popular types. All blades have combination diamond to 5/8" round arbor. Measures 27" wide and 14½" deep x 30" high.

No. 49683 MERCHANDISER WITH ASSORTMENT OF 80 CIRCULAR SAW BLADES

Quantity	Size	Blade Description	No.
12	6½	Combination	28150
9	6½	Hard Tooth Comb.	71997
4	6½	Crosscut	18552
4	6½	Paneling	28156
4	6½	Miter	18554
4	6½	Rip	18553
18	7¼	Combination	13247
9	7¼	Hard Tooth Comb.	71998
4	7¼	Crosscut	19258
4	7¼	Paneling	28157
4	7¼	Miter	19260
4	7¼	Rip	19259
1	—	Display	—



49741

These modern merchandisers are the easiest way to increase your saw blade sales. Complete assortment and a blade selection guide on the back of each card make it easy for your customers to buy. All blades have combination diamond to ⅝" round arbor.

No. 49741 MERCHANDISER WITH 40 BLADE ASSORTMENT

Quantity	Size	Blade Description	No.
5	6½	Combination	28150
5	7¼	Combination	13247
5	6½	Hard Tooth Comb.	71997
5	7¼	Hard Tooth Comb.	71998
5	6½	Paneling	28156
5	7¼	Paneling	28157
5	6½	Rip	18553
5	7¼	Rip	19259
1	—	Display	—



49689

Xtra-tool® ACCESSORIES

Designed specifically for Xtra-tool, these accessories enable the full versatility of this unusual tool to be utilized. Scrapers, chisels and gouges are not normally considered power tool accessories but with the unique hammering action possible with Xtra-tool a whole new line of accessories can now be used.

No. 49689 Xtra-tool ACCESSORY MERCHANDISER

Quan.	Description	Part No.
2	Accessory Starter Kit	71080
2	3" Flexible Scraper	73493
2	1¼" Rigid Scraper	73492
3	Grout Chisel	73491
2	¾" Wood Chisel	73490
4	½" Wood Chisel	73489
3	¼" Wood Chisel	73488
4	½" Carving Gouge	73487
	Display and Header Card	—

MAKE YOUR STORE ACCESSORY HEADQUARTERS

49595

Increase your router bit sales with this compact display. Router bit packaging combined with this attractive and practical merchandiser give you the most effective sales stimulator available. The display is FREE with the purchase of the 32 bit assortment listed below or your own assortment of Skil router bits equal to $150 at your cost. Your own assortment of bits with the FREE display is available on a drop ship basis only.

If you wish to select your own assortment of bits, you may do so and receive the 49594 display FREE, provided your assortment equals $150 at your cost, and that the order is drop shipped from the factory. Be sure to add to your order one No. 49594 display at no charge.

May be used as counter or pegboard unit. Hinged door on front and back. Both can be locked.

No. 49595 ROUTER BIT MERCHANDISER WITH 32 BIT ASSORTMENT

Quan.	Description	Part No.
1	Core Box Bit—Two Flutes—½"	11555
1	Rounding Over Bit—2 Flutes w/Pilot 3/8"	11559
2	Rounding Over Bit—2 Flutes w/Pilot ¼"	11560
3	Straight Bit—Two Flutes—¼"	11564
2	Straight Bit—Two Flutes—½"	11566
3	Straight Bit—Two Flutes—3/8"	11568
1	Beading Bit—Two Flutes—¼"	11571
1	Chamfering Bit—Two Flutes—45°	11839
3	Surfacing Bit—Two Flutes—½"	17088
2	Straight Bit—Two Flutes—¾"	19122
1	Straight Bit—Single Flutes—¼"	19123
2	Straight Bit—Single Flutes—⅛"	19125
1	Straight Bit—Single Flutes—3/16"	19126
2	V Grooving Bit—Two Flutes—3/8"	19129
1	Rabbeting Bit—Two Flutes—¼"	19131
1	Rabbeting Bit—Two Flutes—3/8"	19132
2	Dovetail Bit—Two Flutes—9/16"	19134
2	Combination Panel Bit—Single Flute ¼"	19142
1	Chamfering Bit—Two Flutes—22°	73398
1	Display	49594

49809

This display will offer your customer the complete assortment of 2½" x 16" sanding belts designed specifically for the Sandcat Sander.

No. 49809 SANDCAT™ SANDER BELT MERCHANDISER

Quantity	2½" x 16" Sanding Belts	Part No.
4 Pkgs.*	Coarse Closed Coat (30)	71942
8 Pkgs.*	Medium Closed Coat (60)	71943
4 Pkgs.*	Fine Closed Coat (80)	71944
4 Pkgs.*	Very Fine Closed Coat (100)	71945
4 Pkgs.*	Coarse Open Coat (30)	71946

*2 Belts per package.



49822

These appealing merchandisers will put sheet and belt sander accessories in easy reach of all your customers. Header cards list part numbers for simple to maintain stock control and fast, accurate reorder.

No. 49822 BELT & ORBITAL SANDER ACCESSORY MERCHANDISER

SANDING SHEETS

Quan.	3⅔" x 9" Sanding Sheets	Part No.
10 Pkgs.*	50 (1) Grit	20697
20 Pkgs.*	80 (1/0) Grit	20698
10 Pkgs.*	120 (3/0) Grit	20699
10 Pkgs.*	40 (1½) Grit	25752
10 Pkgs.*	220 (6/0) Grit	25753

*10 Sheets Per Package

SANDER BELTS

	3" x 21" Belts	
4 Pkgs.	Fine Grit (Close Coat)	69536
4 Pkgs.	Medium Grit (Close Coat)	69537
4 Pkgs.	Coarse Grit (Close Coat)	69538
4 Pkgs.	Medium Grit (Open Coat)	69539
	2 Belts Per Package	
	DISPLAY RACK & HEADER CARDS	—

FACTORY SERVICE CENTERS

Nationwide to serve you quickly and efficiently.

ALABAMA
Birmingham,
2721 Green Springs Highway 35209..... (205) 942-9651
Mobile, 3319 Demetropolis Rd. 36609 ..... (205) 666-3623

ARIZONA
Phoenix, 1710 McDowell Rd. 85006 ..... (602) 254-1165

ARKANSAS
Little Rock, 1303 W. Markham 72201 ..... (501) 374-1911

CALIFORNIA
Anaheim, 1290 N. Grove 92806 ..... (714) 630-3244
Brisbane, 3868 Bayshore Blvd. 94005..... (415) 467-5250
Fresno, 1419 N. Maple 93703..... (209) 252-2879
Los Angeles, 5455 E. Washington Blvd. 90040... (213) 685-6760
Concord, 1170 Burnett Ave., Suite D 94520... (415) 827-1427
Sacramento, 3000 Q Street 95816..... (916) 451-8473
San Diego, 7330 Opportunity Rd., Suite E 92111 . (714) 268-8335
Santa Clara, 2130 DeLaCruz Blvd. 95050..... (408) 243-9444
Van Nuys, 16201 Victory Blvd. 91406 ..... (213) 994-8896

COLORADO
Denver, 678 Bryant St. 80204 ..... (303) 893-5123

CONNECTICUT
Rocky Hill, 2122 Silas Deane Hwy. 06067 .... (203) 527-4153

FLORIDA
Jacksonville, 1628 Hendricks Ave. 32207 ..... (904) 398-0728
North Miami, 12041 N.W. 7th Ave. 33168..... (305) 685-6201
Orlando, 2605 S. Orange Ave. 32806 ..... (305) 843-5642
Tampa, 5135 W. Cypress St. 33607 ..... (813) 872-0271

GEORGIA
Atlanta, 170 14th St. N.W. 30318..... (404) 873-2908

HAWAII
Honolulu, 3069 Ualena St. 96819 ..... (808) 836-0404

ILLINOIS
Chgo. North, 5001 N. Elston Ave. 60630..... (312) 286-6760
Nat'L Repair, 5001-B N. Elston Ave. 60630 ... (312) 286-2000
Chgo. South, 3259 W. Columbus Ave. 60652..... (312) 436-1555
Addison, 608 W. Lake St. 60101 ..... (312) 543-8660
Palatine, 1298 East Dundee Road 60067..... (312) 934-4570
Springfield, 300 S. 31st St. 62703..... (217) 528-6415

INDIANA
Hammond, 6339 S. Indianapolis Blvd. 46320 .... (219) 845-9400
Indianapolis, 3304 Madison Ave. 46227..... (317) 787-8297

IOWA
Des Moines, 2430 Hubbell 50317..... (515) 265-3275

KENTUCKY
Louisville, 2501 Crittenden Dr. 40217..... (502) 636-2835

LOUISIANA
New Orleans, 3501 Tchoupitoulas St. 70115 .... (504) 899-6309

MARYLAND
Baltimore, 6834 Harford Rd. 21234 ..... (301) 254-8988
College Park, 9925 Rhode Island Ave. 20740.... (301) 474-5510

MASSACHUSETTS
Boston, 190 N. Beacon St. 02135..... (617) 254-4560

MICHIGAN
Detroit, 26111 W. Eight Mile Rd. 48240..... (313) 535-1919
Grand Rapids, 154 44th St. S.W. 49508..... (616) 538-5060

MINNESOTA
Minneapolis, 2539 Nicollet Ave. 55404..... (612) 872-0608

MISSOURI
Kansas City, 1710 Wyandotte St. 64108 ..... (816) 221-1766
St. Louis, 1238 S. Vandeventer Ave. 63110 ... (314) 535-7424

NEBRASKA
Omaha, 2110 S. 37th St. 68105..... (402) 341-2733

NEVADA
Reno/Sparks, 990 Packer Way 89431..... (702) 358-1165

NEW JERSEY
Edison, 6 Kilmer Court 08817 ..... (201) 572-0875
Hillside, 611 U.S. Hwy. No. 22 07205 ..... (201) 686-6350

NEW MEXICO
Albuquerque, 3320 Candelaria Dr. N.E. 87107... (505) 344-9036

NEW YORK
Buffalo, 88 Benbro Drive 14225 ..... (716) 681-2500
Huntington Sta., 673 E. Jericho Turnpike 11746 . (516) 423-2100
Jamaica, 153-25 Hillside Avenue 11432 ..... (212) 297-1919
Manhattan, 75 Varick Street 10013, (212) 226-7630
E. Syracuse, 601 W. Manlius St. 13057 ..... (315) 437-3435

NORTH CAROLINA
Charlotte, 4800 N. Tryon 28203..... (704) 597-1957
Raleigh, 5306 Hillsborough 27606 ..... (919) 851-1418

OHIO
Akron, 2169 E. Market St. 44312..... (216) 794-9440
Cincinnati, 1245 Tennessee Ave. 45229 ..... (513) 242-0244
Cleveland, 9000 Bank St. 44125 ..... (216) 447-0250
Columbus, 5562 N. High St. 43214..... (614) 885-8670
Dayton, 5671 Webster St. 45415..... (513) 890-0760

OKLAHOMA
Okla. City, 606 N. Pennsylvania Ave. 73107... (405) 236-0170

OREGON
Eugene, 1457 W. 6th Ave. 97402 ..... (503) 484-1311
Portland, 2933 E. Burnside 97214..... (503) 234-7418

PENNSYLVANIA
Philadelphia, 4210 Macalester Ave. 19124.... (215) 455-2506
Harrisburg, 5630 Allentown Blvd. 17112 ..... (717) 657-2090
Pittsburgh, 3221 Liberty Ave. 15201 ..... (412) 261-6457

RHODE ISLAND
East Providence, 505 Waterman Ave. 02914..... (401) 438-5626

SOUTH CAROLINA
Greenville, 1013 N. Pleasantberg Dr. 29607 ..... (803) 271-8161

TENNESSEE
Knoxville, 2002 E. Magnolia 37917..... (615) 546-7744
Memphis, 895-6 Brooks Rd. 38116..... (901) 332-9293
Nashville, 715 8th Ave. So. 37205..... (615) 256-1708

TEXAS
Dallas, 2457 Walnut Ridge 75229..... (214) 241-5385
Fort Worth, 1116-8 E. Seminary Dr. 76115.... (817) 926-7787
Houston (Central), 324 N. Hutcheson St. 77003 . (713) 224-9178
Houston (North),
10600 Hempstead, Suite 101 77092..... (713) 681-4893
Lubbock, 2112 50th 79412..... (806) 747-9177
San Antonio, 612 McCullough Ave. 78215 .... (512) 224-6311

UTAH
Salt Lake City, 280 W. 2855 South St. 84115..... (801) 486-0368

VIRGINIA
Norfolk, 2438 Ingleside Rd. 23513 ..... (804) 855-2035
Richmond, 2026-B Chamberlayne Ave. 23222... (804) 321-6007

WASHINGTON
Seattle, 2424 4th Ave. 98121..... (206) 622-4404
Spokane, 1902 E. Mission Ave. 99202 ..... (509) 535-1754
Tacoma, 1610 Center St. 98409..... (206) 572-7107

WISCONSIN
West Allis, 10906 W. National Ave. 53227..... (414) 327-0050

AUTHORIZED SERVICE STATIONS

ALABAMA: Sheffield; Huntsville
ALASKA: Anchorage; Fairbanks
ARIZONA: Tucson
ARKANSAS: Russelville
CALIFORNIA: Bakersfield; Eureka; Redding; Santa Barbara; Ventura; Visalia
DELAWARE: Wilmington
HAWAII: Maui
IDAHO: Boise; Idaho Falls
IOWA: Davenport
KANSAS: Wichita
LOUISIANA: Shreveport
MAINE: Westbrook
MARYLAND: Hagerstown
MISSISSIPPI: Jackson
MONTANA: Billings; Great Falls; Kalispell; Missoula; Helena
NEW YORK: Schenectady
NEVADA: Las Vegas
NORTH CAROLINA: Greensboro, Asheville
NORTH DAKOTA: Fargo
OHIO: Toledo; Youngstown
OKLAHOMA: Tulsa
OREGON: Medford
PENNSYLVANIA: Allentown; Bethlehem; Easton; Wilkes-Barre; New Holland; Reading
RHODE ISLAND: Warwick
SOUTH CAROLINA: Columbia
TEXAS: Amarillo; Harlingen; Odessa
VERMONT: S. Burlington
VIRGINIA: Roanoke; Bluefield
WASHINGTON: Yakima
WEST VIRGINIA: Huntington; St. Albans
WYOMING: Casper

SKIL WARRANTIES

FULL NINETY (90) DAY WARRANTY **FREE TOOL REPLACEMENT**

Any Skil Electric Tool listed in the current Consumer Products catalog (except tools used in commercial and/or rental service) which does not perform satisfactorily due to defects in workmanship or materials will be replaced free of charge if returned to the dealer, from whom purchased, within ninety days of purchase date. This warranty does not apply to accessories.

When a defective tool is returned for replacement, proof of purchase is required and all original equipment packaged in the initial purchase must be returned with the tool. Free tool replacement of kits will be limited to replacement of the basic tool only.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

LIMITED ONE-YEAR WARRANTY OF ELECTRIC TOOLS

Skil Corporation warrants for one year from the date of purchase all Skil Electric Tools which do not perform satisfactorily due to defects caused by faulty material or workmanship. Our obligation assumed under this warranty is limited to the repair or replacement of parts, without charge, which are defective and which have not been misused, carelessly handled, or defaced by repairs made or attempted by others.

The complete tool must be returned, transportation prepaid, to any Skil Factory Service Center or Authorized Service Station. A listing of Factory Service Centers is packed with each Skil product.

This warranty does not apply to accessories.

This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

Product specifications shown subject to change without notice.

All tools in this catalog comply with OSHA standards except for the following Model Nos. 400, 405, 593, 594, 595.

SKIL CORPORATION
4801 WEST PETERSON AVENUE, CHICAGO, ILLINOIS 60646

OTHER MANUFACTURING PLANTS:
SKOKIE, ILLINOIS • BERKELEY, ILLINOIS • WALNUT RIDGE, ARKANSAS • HEBER SPRINGS, ARKANSAS • MIDDLEPORT, NEW YORK • TORONTO, ONTARIO, CANADA • MEXICO CITY, MEXICO • BREDA, THE NETHERLANDS • EINDHOVEN, THE NETHERLANDS • NOBLE PARK, VICT., AUSTRALIA

TOOL RACKS

49540 DRILL RACK
The following tools fit the above wire rack.
271 503 569 **598**
456 510 584 599
457 541 **596** 600
501 560 **597**

49544 RECIPRO SAW RACK
The following tool fits the above wire rack.
577

49546 CIRCULAR SAW RACK
The following tools fit the above wire rack.
534 538 **553** **559**
537 **552** **554** 574

49663
The following tools fit the above rack.
482 487 497 **499**

49737 DRILL RACK
The following tools fit the above wire rack.
425 **471** **472** **474**
540 **542** **821** **2008**
2012 **2016**

49744 CORDLESS DRILL RACK
The following tools fit the above wire rack.
2002 2003 **2006** **2007**

49837 SANDER/POLISHER RACK
The following tools fit the above wire rack.
400 **405** **845** **846**

49838 SANDER/GRINDER RACK
The following tools fit the above wire rack.
593 **594** **595** **914**

49840 ROUTER/LAMINATE TRIMMER RACK
The following tools fit the above wire rack.
293 **295** **297** 548

49841 PLANER RACK
The following tool fits the above wire rack.
96

49842 ORBITAL SANDER RACK
The following tool fits the above wire rack.
439, 459, 490, **661**

49843 JIG SAW RACK
The following tool fits the above wire rack.
524

All model numbers shown in BOLD FACE are TRADESMAN TOOLS.

PRINTED IN U.S.A.

SKIL TRADESMAN TOOLS ★★★★ MERCHANDISER WITH YOUR OWN SELECTION OF TOOLS

Select and display your own assortment of tools on this attractive, permanent merchandiser. All you have to do is purchase a minimum of 10 different Skil models and include the following no charge items on your order:

- **One No. 49800 3-Ft. Profit Center** which includes "Do It With Skil" girl cardboard header, fact sticker assortment, Tradesman Tool Strip.
- **Tool racks for the models you ordered** A complete list of tool racks are listed on page 34 for your convenience.

No. 49834

SKIL BOAR GUN™ CORDLESS DRILL & SCREWDRIVER MERCHANDISER

- Attractive full color display measures 32"W x 11"D x 23"H
- Features all three Boar Guns and accessories
- Includes: 1 each of Model 2008, 2012, 2016 each with Power Pak and charger
  3 Tool Holsters
  Beautiful 12 page full color sales brochures

Retail Value $384.79

No. 49787

4½" DISC GRINDER MERCHANDISER

- Less than 2 square feet required to display three Tradesman-quality grinders and accessories (20"W x 12½"D x 20"H).
- Dramatic, full-color pictures show commercial, farm and home applications.
- Includes: 3 Model 914 4½" Disc Grinders
  5 No. 72023 Grinding Wheels

Retail Value $315.60

No. 49804

SANDCAT™ SANDER MERCHANDISER

- Colorful, compact display measures 26"W x 12¼"D x 21"H.
- Features the Sandcat and accessories.
- Includes: 3 Model 593 Sandcat Sanders
  2 Dust Pickup Kits (No. 71889)
  8 Packages of Sanding Belts—
  Assorted Grits—
  2 Belts per package

Retail Value $202.17

No. 49836

MODEL 96 PLANE MERCHANDISER

- Colorful and compact display requires less than 2½ square feet of space.
- Displays plane showing in-use situation.
- Includes: 3 Model 96 Heavy-Duty Planes
  3 No. 72109 Edge Guides
  3 Sets No. 72106 Blades

Retail Value $392.79



POWER TOOL MERCHANDISER

BASIC
ASSORTMENT
No. 49625

Includes:

1	2002	⅜" Cordless Drill
1	503	¼" On-Off Drill
1	501	¼" VSA Drill
1	569	⅜" VSA Drill
1	456	¼" VSRA Drill
1	457	⅜" VSRA Drill
1	459	Orbital Sander
1	490	Dual Action Sander
1	482	Jig Saw
1	487	2-Speed Jig Saw
1	497	VSA Jig Saw
1	534	6½" Circular Saw
3	574	7¼" Circular Saws
1	537	7¼ Deluxe Circular Saw
1	548-2	½ HP Router Kit
1	548	½ HP Router
1	487-2	Jig Saw Kit

3-foot display, tool racks, fact stickers and header.

VSA = Variable Speed Adjustable;
VSRA = Variable Speed Reversing Adjustable

No. 49847
LIVE DEMONSTRATION STATION

For Cordless Drills and Screwdrivers

- Electrified demo station now features a smaller, 15-tool assortment plus accessories—all at a smaller investment.
- Three tools are always ready for customer use at the point-of-purchase.
- Three different applications, one drilling and two driving, demonstrate tool's versatility. Ideal customer involving endcap.
- Includes:
  15 Model 2002
  Two-Speed Cordless Drills and Screwdrivers
  5 No. 71865
  Cordless Drill Holsters
  4 No. 43685
  Socket Sets
  5 NO. 43677
  5 piece Drill Bit Sets
  5 No. 71872
  Double Ended Bits
  5 No. 71873
  Double Ended Bits
  5 No. 71874
  Double Ended Bits

Drop shipped, freight prepaid, no drop-ship penalty.

Retail Value $612.40

SKIL CORPORATION
4801 W. Peterson Avenue, Chicago, Illinois 60646